



REV	DATE	DESCRIPTION	BY	CHK	APP
AD 25					
AY1		REVISED FOR ECO-10-00941			



- △ HOUSING MATERIAL: GLASS-FILLED POLYESTER. COLOR: GRAY.
- △ POST MATERIAL: BRASS.
- △ POST FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN-LEAD PLATE ON POSTS.
- △ RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.
- △ PART NUMBER, DATE CODE MARKED THIS APPROXIMATE AREA.
- △ MARKING ON THIS SIDE.
- △ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINIS



SECTION Z-Z

THIS DRAWING IS A CONTROLLED DOCUMENT.		DESIGNED BY: J. BEMER	DATE: 05/93	TYS Electronics Harrisburg, PA 17105-3608
DRAWN BY: J. PATTERSON		DATE: 05/93	REVISED BY: J. PATTERSON	
CHECKED BY: J. PATTERSON		PART NUMBER: 000779		PIN ASSEMBLY, EUROCARD, TYPE C WITH MFB CONTACTS
APPROVED BY: J. PATTERSON		DATE: 05/93		REVISED TO: 000779
PART: 000779		DRAWING NO: 000779		REVISED TO: 000779
CUSTOMER DRAWING		DATE: 05/93		REVISED TO: 000779

1-21,23,27-32	22,24-26	C	32	3-536437-8
1-32	NONE	B	32	<b>OBSOLETE</b>
1-32	NONE	A	32	
2-31	1,32	C	32	3-536437-7
2-31	1,32	B	32	<b>OBSOLETE</b>
2-31	1,32	A	32	
1-3,22,29-32	4-21,23-28	C	32	3-536437-6
1-3,30-32	4-29	B	32	<b>OBSOLETE</b>
1-4,30-32	5-29	A	32	
25-28	1-24,29-32	C	32	3-536437-5
NONE	NONE	B	0	<b>OBSOLETE</b>
25-28	1-24,29-32	A	32	
21,22,29	1-20,23-28,30-32	C	32	3-536437-4
NONE	NONE	B	0	<b>OBSOLETE</b>
21,22,29	1-20,23-28,30-32	A	32	
1,2,6,10,16,20,25	3-5,7,9,11-13,15,17,19,21-24,26-32	C	32	3-536437-3
NONE	1-32	B	32	<b>OBSOLETE</b>
1,2,6,8,10,14,16,18,20,25	3-5,7,9,11-13,15,17,19,21-24,26-32	A	32	
NONE	1-32	C	32	3-536437-2
NONE	NONE	B	0	<b>OBSOLETE</b>
1,32	2-31	A	32	
NONE	NONE	C	0	3-536437-1
2,12,22,31	1,13,32	B	7	<b>OBSOLETE</b>
NONE	NONE	A	0	
9	31,32	C	3	3-536437-0
20,23	4-11,31,32	B	12	<b>OBSOLETE</b>
9,11,15,17,19	21,22,31,32	A	9	
1,8,13,15,18,19,32	2-7,9-12,14,16,17,20,22,24,26,28,30	C	26	2-536437-9
NONE	NONE	B	0	<b>OBSOLETE</b>
1,8,13,15,18,19,32	2-7,9-12,14,16,17,20,22,24,26,28,30	A	26	
1,14,15,20,26,32	3,5,7,9,11,13,16-19,21-25,27-31	C	26	2-536437-8
NONE	NONE	B	0	<b>OBSOLETE</b>
1,14,15,20,26,32	3,5,7,9,11,13,16-19,21-25,27-31	A	26	
1,12,14,21,22,32	2-11,13,15-20,23-31	C	32	2-536437-7
12,14,21,22,32	1-11,13,15-20,23-31	B	32	<b>OBSOLETE</b>
1,12,14,21,22,32	2-11,13,15-20,23-31	A	32	
9,11,12,15	1-8,10,13,14,16-32	C	32	2-536437-6
NONE	NONE	B	0	<b>OBSOLETE</b>
9,11,12,15	1-8,10,13,14,16-32	A	32	
1	2-32	C	32	2-536437-5
NONE	1-32	B	32	<b>OBSOLETE</b>
1	2-32	A	32	
2,3	1,4-32	C	32	2-536437-4
2,3	1,4-32	B	32	<b>OBSOLETE</b>
2,3	1,4-32	A	32	
NONE	1-32	C	32	2-536437-3
NONE	2-32	B	31	<b>OBSOLETE</b>
2	1,3-32	A	32	
1,32	2-31	C	32	2-536437-2
NONE	NONE	B	0	<b>OBSOLETE</b>
1,32	2-31	A	32	
8,9	1-7,10-32	C	32	2-536437-1
9	1-8,10-32	B	32	<b>OBSOLETE</b>
NONE	1-32	A	32	
NONE	2,4,6,8,...30,32	C	16	2-536437-0
NONE	NONE	B	0	<b>OBSOLETE</b>
2,32	4,6,8,10,...28,30	A	16	
2-31	1,32	C	32	1-536437-9
1-32	NONE	B	32	
2-32	1	A	32	
1-5,16-20,29-32	6-15,21-28	C	32	1-536437-8
1-5,16-20,29-32	6-15,21-28	B	32	<b>OBSOLETE</b>
1-5,16-20,29-32	6-15,21-28	A	32	
POSITIONS LOADED WITH 4.93[.194] CONTACTS	POSITIONS LOADED WITH 4.16[.164] CONTACTS	ROWS	NO. OF LOADED POSITION	ASSY PART NUMBER

2-4,7-32	NONE	C	29	1-536437-7
1,9-31	8,32	B	26	
1,2,4-6,9-32	NONE	A	29	
NONE	1-32	C	32	1-536437-6
10-12,27-30	1-9,13-26,31,32	B	32	<b>OBSOLETE</b>
NONE	1-32	A	32	
1,2	3-32	C	32	1-536437-5
NONE	1-32	B	32	
1,23	2-22,24-32	A	32	
25,27,28	1-24,26,29-32	C	32	1-536437-4
1	2-32	B	32	<b>OBSOLETE</b>
NONE	1-32	A	32	
1,5,7,32	2-4,6,8,231	C	32	1-536437-3
6,8,14,16,18,20,26,28	1-5,7,9-13,15,17,19,21-25,27,29-32	B	32	
1,32	2-31	A	32	
3,6,9,12,15,18,31,32	1,2,4,5,7,8,10,11,13,14,16,17,19-30	C	32	1-536437-2
2,3,6-26	1,4,5,27-32	B	32	<b>OBSOLETE</b>
2,5,8,11,14,17,20	1,3,4,6,7,9,10,12,13,15,16,18,19,21-32	A	32	
1,32	2-31	C	32	1-536437-1
NONE	1-32	B	32	
1,32	2-31	A	32	
31	1-30,32	C	32	1-536437-0
1,2,31	3-30,32	B	32	<b>OBSOLETE</b>
31	1-30,32	A	32	
NONE	1-32	C	32	536437-9
NONE	1-32	B	32	<b>OBSOLETE</b>
1,32	2-31	A	32	
NONE	1-32	C	32	536437-8
13,14,16	1-12,15,17-32	B	32	<b>OBSOLETE</b>
NONE	1-32	A	32	
1,31,32	2-30	C	32	536437-7
1,32	2-31	B	32	<b>OBSOLETE</b>
1,32	2-31	A	32	
9	1-8,10-32	C	32	536437-6
20,23	1-19,21,22,24-32	B	32	
9,11,15,17,19	1-8,10,12-14,16,18,20-32	A	32	536437-5
NONE	1-32	C	32	<b>OBSOLETE</b>
2,12,22,31	1,3-11,13-21,23-30,32	B	32	
NONE	1-32	A	32	536437-4
1,32	2-31	C	32	
1,32	2-31	B	32	
1,32	2-31	A	32	536437-3
1,2,31,32	3-30	C	32	<b>OBSOLETE</b>
1,2,31,32	3-30	B	32	
1,2,31,32	3-30	A	32	
NONE	1-32	C	32	536437-2
1,32	2-31	B	32	<b>OBSOLETE</b>
NONE	1-32	A	32	
NONE	1-32	C	32	536437-1
NONE	1-32	B	32	<b>OBSOLETE</b>
NONE	1-32	A	32	
POSITIONS LOADED WITH 4.93[.194] CONTACTS	POSITIONS LOADED WITH 4.16[.164] CONTACTS	ROWS	NO. OF LOADED POSITION	ASSY PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. YAESU ELECTRONIC CORPORATION  
 HARRISBURG, PA 17105-3608  
 PIN ASSEMBLY, EUROCARD, TYPE C WITH MPBL CONTACTS  
 CUSTOMER DRAWING  
 DATE: 00779  
 SIZE: 5.1 2 3 AY2

