


- ASSEMBLY MAY BE BROKEN TO THE DESIRED NUMBER OF POSITIONS
  - TRUE POSITION TOLERANCE OF THE POST TIPS APPLIES WHEN THE HEADER IS HELD FLAT AGAINST THE PRINTED CIRCUIT BOARD
- △ THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND HOUSING
- △ HOUSING: FLAME RETARDANT THERMOPLASTIC; COLOR: BLACK.
- △ FINISH: 0.000381 [0.00015] GOLD ON CONTACT AREA, 0.00254-0.00508 [0.00100-0.00200] MATTE TIN-LEAD ON SOLDER TAIL, ALL OVER 0.00127 [0.00050] NICKEL.
- △ FINISH: 0.000381 [0.00015] GOLD ON CONTACT AREA, 0.00254-0.00508 [0.00100-0.00200] MATTE TIN ON SOLDER TAIL, ALL OVER 0.00127 [0.00050] NICKEL.



REV	DATE	DESCRIPTION	BY	CHK	APP
101.19	99.06	39	40	4-146472-0	
98.65	96.52	38	39	3-146472-9	
96.11	93.98	37	38	3-146472-8	
93.57	91.44	36	37	3-146472-7	
91.03	88.90	35	36	3-146472-6	
88.49	86.36	34	35	3-146472-5	
85.95	83.82	33	34	3-146472-4	
83.41	81.28	32	33	3-146472-3	
80.87	78.74	31	32	3-146472-2	
78.33	76.20	30	31	3-146472-1	
75.79	73.66	29	30	3-146472-0	
73.25	71.12	28	29	2-146472-9	
70.71	68.58	27	28	2-146472-8	
68.17	66.04	26	27	2-146472-7	
65.63	63.50	25	26	2-146472-6	
63.09	60.96	24	25	2-146472-5	
60.55	58.42	23	24	2-146472-4	
58.01	55.88	22	23	2-146472-3	
55.47	53.34	21	22	2-146472-2	
52.93	50.80	20	21	2-146472-1	
50.39	48.26	19	20	2-146472-0	
47.85	45.72	18	19	1-146472-9	
45.31	43.18	17	18	1-146472-8	
42.77	40.64	16	17	1-146472-7	
40.23	38.10	15	16	1-146472-6	
37.69	35.56	14	15	1-146472-5	
35.15	33.02	13	14	1-146472-4	
32.61	30.48	12	13	1-146472-3	
30.07	27.94	11	12	1-146472-2	
27.53	25.40	10	11	1-146472-1	
24.99	22.86	9	10	1-146472-0	
22.45	20.32	8	9	146472-9	
20.00	17.78	7	8	146472-8	
17.56	15.24	6	7	146472-7	
15.11	12.70	5	6	146472-6	
12.67	10.16	4	5	146472-5	
10.23	7.62	3	4	146472-4	
7.79	5.08	2	3	146472-3	
5.35	2.54	1	2	146472-2	
2.91	0.00	-	1	146472-1	

PLATING: G F E NO. OF POSITIONS: PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. REV. 1

DATE: 100779

DESCRIPTION: HEADER ASSEMBLY, MOD II, STACKING, SINGLE ROW, 0.025 SQ. POST, UNSHROUDED

REVISED PER EDD-11-004820

