



- ASSEMBLY MAY BE BROKEN TO THE DESIRED NUMBER OF POSITIONS
 - TRUE POSITION TOLERANCE OF THE POST TIPS APPLIES WHEN THE HEADER IS HELD FLAT AGAINST THE PRINTED CIRCUIT BOARD
- △ THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND HOUSING
- △ HOUSING: FLAME RETARDANT THERMOPLASTIC; COLOR: BLACK.
- △ FINISH: 0.00254-0.00508 [0.00100-0.00200] MATTE TIN-LEAD OVER 0.00127 [0.00050] NICKEL ENTIRE POST.
- △ FINISH: 0.00254-0.00508 [0.00100-0.00200] MATTE TIN OVER 0.00127 [0.00050] NICKEL ENTIRE POST.

NO.	REV.	DATE	BY	DESCRIPTION	DATE	BY	APP.
101.19	99.06						
98.65	96.52						
96.11	93.96						
93.57	91.44						
91.03	88.90						
88.49	85.36						
85.95	83.82						
83.41	81.28						
80.87	78.74						
78.33	76.20						
75.79	73.66						
73.25	71.12						
70.71	68.58						
68.17	66.04						
65.63	63.50						
63.09	60.96						
60.55	58.42						
58.01	55.88						
55.47	53.34						
52.93	50.80						
50.39	48.26						
47.85	45.72						
45.31	43.18						
42.77	40.64						
40.23	38.10						
37.69	35.56						
35.15	33.02						
32.61	30.48						
30.07	27.94						
27.53	25.40						
24.99	22.86						
22.45	20.32						
19.91	17.78						
17.37	15.24						
14.83	12.70						
12.29	10.16						
9.75	7.62						
7.21	5.08						
4.67	2.54						
2.13	-						
0.84	-						

PLATING: G F E NO. OF POSITIONS PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. THE CUSTOMER'S DRAWING IS THE MASTER COPY. ANY CHANGES MUST BE APPROVED BY THE CUSTOMER AND THE DRAWING ENGINEER.

TE Connectivity
 HEADER ASSEMBLY, MOD II, STACKING, DOUBLE ROW, .002 SQ. POST, UNBROUDED

DATE: 11/11/11
 DRAWING NO: 146487
 CUSTOMER DRAWING

8	7	6	5	4	3	2	1
THIS DRAWING IS UNPUBLISHED		NECESSARY FOR REVISION					
© 2008 TE Connectivity		ALL RIGHTS RESERVED					

REV	DATE	BY	DESCRIPTION	DATE	BY	APP
AD	00	TM	SEE SHEET 1	-	-	-

△	101.19	99.06	39	80	9-146487-0
△	[3.984]	[3.900]			
△	98.65	96.52	38	78	8-146487-9
△	[3.884]	[3.800]			
△	96.11	93.98	37	76	8-146487-8
△	[3.784]	[3.700]			
△	93.57	91.44	36	74	8-146487-7
△	[3.684]	[3.600]			
△	91.03	88.90	35	72	8-146487-6
△	[3.584]	[3.500]			
△	88.49	86.36	34	70	8-146487-5
△	[3.484]	[3.400]			
△	85.95	83.82	33	68	8-146487-4
△	[3.384]	[3.300]			
△	83.41	81.28	32	66	8-146487-3
△	[3.284]	[3.200]			
△	80.87	78.74	31	64	8-146487-2
△	[3.184]	[3.100]			
△	78.33	76.20	30	62	8-146487-1
△	[3.084]	[3.000]			
△	75.79	73.66	29	60	8-146487-0
△	[2.984]	[2.900]			
△	73.25	71.12	28	58	7-146487-9
△	[2.884]	[2.800]			
△	70.71	68.58	27	56	7-146487-8
△	[2.784]	[2.700]			
△	68.17	66.04	26	54	7-146487-7
△	[2.684]	[2.600]			
△	65.63	63.50	25	52	7-146487-6
△	[2.584]	[2.500]			
△	63.09	60.96	24	50	7-146487-5
△	[2.484]	[2.400]			
△	60.55	58.42	23	48	7-146487-4
△	[2.384]	[2.300]			
△	58.01	55.88	22	46	7-146487-3
△	[2.284]	[2.200]			
△	55.47	53.34	21	44	7-146487-2
△	[2.184]	[2.100]			
△	52.93	50.80	20	42	7-146487-1
△	[2.084]	[2.000]			
△	50.39	48.26	19	40	7-146487-0
△	[1.984]	[1.900]			
△	47.85	45.72	18	38	6-146487-9
△	[1.884]	[1.800]			
△	45.31	43.18	17	36	6-146487-8
△	[1.784]	[1.700]			
△	42.77	40.64	16	34	6-146487-7
△	[1.684]	[1.600]			
△	40.23	38.10	15	32	6-146487-6
△	[1.584]	[1.500]			
△	37.69	35.56	14	30	6-146487-5
△	[1.484]	[1.400]			
△	35.15	33.02	13	28	6-146487-4
△	[1.384]	[1.300]			
△	32.61	30.48	12	26	6-146487-3
△	[1.284]	[1.200]			
△	30.07	27.94	11	24	6-146487-2
△	[1.184]	[1.100]			
△	27.53	25.40	10	22	6-146487-1
△	[1.084]	[1.000]			
△	24.99	22.86	9	20	6-146487-0
△	[.984]	[.900]			
△	22.45	20.32	8	18	5-146487-9
△	[.884]	[.800]			
△	19.91	17.78	7	16	5-146487-8
△	[.784]	[.700]			
△	17.37	15.24	6	14	5-146487-7
△	[.684]	[.600]			
△	14.83	12.70	5	12	5-146487-6
△	[.584]	[.500]			
△	12.29	10.16	4	10	5-146487-5
△	[.484]	[.400]			
△	9.75	7.62	3	8	5-146487-4
△	[.384]	[.300]			
△	7.21	5.08	2	6	5-146487-3
△	[.284]	[.200]			
△	4.67	2.54	1	4	5-146487-2
△	[.184]	[.100]			
△	2.13	-	-	2	5-146487-1
△	[.084]	-	-		

THIS DRAWING IS A CONTROLLED DOCUMENT.		REV	DATE	BY	DESCRIPTION
UNLESS OTHERWISE SPECIFIED		01	08/10/08	TM	TE Connectivity
DIMENSIONS IN INCHES		02	08/10/08	TM	TE Connectivity
DRAWN BY: TM		03	08/10/08	TM	TE Connectivity
CHECKED BY: TM		04	08/10/08	TM	TE Connectivity
APPROVED BY: TM		05	08/10/08	TM	TE Connectivity
DATE: 08/10/08		06	08/10/08	TM	TE Connectivity
DRAWING NO: 146487		07	08/10/08	TM	TE Connectivity
CUSTOMER DRAWING		08	08/10/08	TM	TE Connectivity
SCALE: 1:1		09	08/10/08	TM	TE Connectivity
SHEET 2 OF 2		10	08/10/08	TM	TE Connectivity
REVISED TO		11	08/10/08	TM	TE Connectivity