

4


3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN	APVD	
G		ECR-06-012362	23-03-06	B.M.	J.B.	
H		ECR-07-006575	13-08-07	BSV	MKO	



NOTES:

- ⚠ MATERIAL :
 - HOUSING : GLASSFILLED POLYESTER
 - COLOUR : GRAY
 - CONTACTS: PHOSPHORBRONZE
- ⚠ PLATING CONTACT :
 - 1 : 2,0 µm Au OVER 1,25 µm Ni AT CONTACT AREA.
 - REMAINDER TIN PLATING.
 - 2 : SAME AS -1 ONLY 0,8 µm Au.
 - 3 : SAME AS -1 ONLY 1,25 µm Au.
 - 4 : SAME AS -1.
 - 5 : SAME AS -2.
 - 6 : SAME AS -3.

WIRE RANGE :
AWG 30-26
INSULATION RANGE :
1,2 MAX. DIA.

SUPERSEDED BY 167259-5
 SUPERSEDED BY 167259-5
 SUPERSEDED BY 167259-5
 SUPERSEDED BY 167259-5
 SUPERSEDED BY 167259-5

SEE NOTE ⚠2	SEE NOTE ⚠1	167259-6
		167259-5
		167259-4
		167259-3
		167259-2
		167259-1
FINISH	MATERIAL	PARTNUMBER

AN ASTERISK „X” DENOTES A CONTACT.

- 3 COVER 826196 CAN BE USED.
- ⚠4 AFTER CRIMPING THE CONTACTS IN ROW b, ASSEMBLE THE SINGLE ROW CONN. ASS'Y AND DUAL ROW CONN. ASS'Y ON TO EACH OTHER.
- 5 CONNECTOR KIT ASS'Y 167259- AS DELIVERED CONSIST OF A 32 POS. SINGLE ROW CONN. ASS'Y AND A 2x32 POS. DUAL ROW CONN. ASS'Y.
- ⚠6 PRINTED CAVITY-NUMBER FOR P/N -1,-2,-3, AS SHOWN, ON REAR SIDE a1 AND a32. FOR P/N -4,-5,-6 CAVITY NUMBERS PRINTED INVERSED.
- 7 CONNECTOR PRINTED WITH PARTNUMBER 167259.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J.Gibbels 07-11-95	Tyco Electronics Tyco Electronics Nederland BV 's-Hertogenbosch, Netherlands	
DIMENSIONS: mm		CHK R.v.Lokven	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD R.Smeets	96 POS. BACK PANEL M.T. CONNECTOR	
0 PLC ± -		PRODUCT SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
1 PLC ± -		APPLICATION SPEC	A3 00779 C-167259	
2 PLC ± -		WEIGHT	CUSTOMER DRAWING SCALE NTS SHEET 1 OF 1 REV H	
3 PLC ± -				
4 PLC ± -				
ANGLES ± -				
MATERIAL FINISH				