





THIS DRAWING IS UNPUBLISHED. REPRODUCED FOR YOUR CONVENIENCE. ALL RIGHTS RESERVED.
 © AMP, INC. BY THE ELECTRONICS CORPORATION

REV	DATE	DESCRIPTION	BY	CHK	APP'D
AD	25				
	01	REVISED FOR ECO-08-013371			

- △ HOUSING MATERIAL: GLASS-FILLED POLYMER.
- △ CONTACT MATERIAL: COPPER ALLOY.
- △ CONTACT FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN PLATE ON TAILS.
- △ RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.
- △ MARKING ON THIS SIDE.
- △ PART NUMBER, DATE CODE, THIS APPROXIMATE AREA.



PC BOARD LAYOUT

ALL POSITIONS	* * * * *	128	5536155-5
POSITIONS LOADED	Y X C B A		ASSEMBLY PART NUMBER
	ROWS LOADED		
THIS DRAWING IS A CONTROLLED DOCUMENT.			
DIMENSIONS (in INCHES) DIMENSIONAL TOLERANCES UNLESS SPECIFIED: DECIMALS .005 (M) FRACTIONS ± (.004) (M) HOLE DIA ± (.004) (M) HOLE DIA ± (.004) (M)		POLYMER RECEPTACLE TYPE C, ENHANCED, 5-ROW, SOLDERS, 4.57(1.83)/A (183) WITH BOARD-LOCKS	
TYPICAL CONTACT DIMENSIONS: CONTACT WIDTH: 0.63 (25) CONTACT HEIGHT: 1.15 (45.3) CONTACT PITCH: 2.54 (100)		DATE: 00779 G 5536155 CUSTOMER DRAWING: 100779 G 5536155 REV: 1 OF 1	