



REV	DATE	BY	CHK	DESCRIPTION
01	22/02/07	DH	DB	REVISED PER ECO-07-018843
02	10/06/09	KK	AEG	REVISED PER ECO-09-049027



- △ HOUSING MATERIAL: GLASS-FILLED POLYMER.
- △ POST MATERIAL: COPPER ALLOY
- △ POST FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN PLATE ON POSTS.
- △ RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.
- △ PART NUMBER, DATE CODE MARKED THIS APPROXIMATE AREA.
- △ MARKING ON THIS SIDE.
- △ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



POSITIONS LOADED WITH 4.93[.194] CONTACTS	POSITIONS LOADED WITH 4.16[.164] CONTACTS	ROWS	NO. OF LOADED POSITION	ASSY PART NUMBER
NONE	1-32	C	32	1-5536366-8
NONE	1-32	B	32	
1,3,9,27,29,31,32	2,4-8,10-26,28,30	A	32	
1,2,31,32	3-30	C	32	1-5536366-7
NONE	1-32	B	32	
32	1-31	A	32	
1,2,31,32	3-30	C	32	5536366-6
12	1-11,13-32	B	32	5536366-5
NONE	1-32	A	32	
1,32	2-31	C	32	
NONE	1-32	B	32	5536366-1
1,32	2-31	A	32	
1,32	2-31	C	32	

THIS DRAWING IS A CONTROLLED DOCUMENT.

INCHES = MILLIMETERS

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES

ASSEMBLY, PIN, EUROCARD, TYPE C, 96 POSITION, 2.64[.104] SOLDER POST WITH MFRS. CONTACTS AND BOARD-LOCKS

DATE: 10/07/09 DRAWING NO: A1007799 Q=5536366

CUSTOMER DRAWING

DATE: 5/1 SHEET: 1 OF 1