





REV	DATE	DESCRIPTION	BY	CHK	APP
B		REVISED PER ECO-10-021240			



- △ MATERIAL:
CONTACT AND SHIELD: PHOS BRONZE
HOUSING AND CHICKLET: LCP, UL 94V-0, COLOR: BLACK
- △ FINISH:
CONTACT: MATING AREA: 0.76μm MIN GOLD OVER
1.27μm MIN NICKEL
COMPLIANT PIN AREA: 0.5μm MIN MATTE TIN
OVER 1.27μm MIN NICKEL
SHIELD: 1.27μm MIN NICKEL
- △ CONNECTOR MARKED WITH PART NUMBER, DATE CODE, AND STANDARD IN APPROXIMATE AREA SHOWN.
- △ DIMENSION APPLIES TO CENTERLINE OF THRU HOLE.
- △ DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 6. CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT. TECHNICAL REFERENCE: GR-1217-CORE, ISSUE 1, NOVEMBER 1995.
- △ REFERENCE APPLICATION SPEC 114-13202 FOR RECOMMENDED PLATED THRU HOLE DIAMETER AND PLATING THICKNESS.
- △ ALL GROUNDS IN ODD NUMBERED COLUMNS ARE COMMONED.
ALL GROUNDS IN EVEN NUMBERED COLUMNS, EXCEPT FOR ROW A ARE COMMONED.

RECOMMENDED PC BOARD LAYOUT
COMPONENT SIDE SHOWN



2065777-1
PART NUMBER

DATE: 25FEB2009	DATE: 25FEB2009	DATE: 25FEB2009	DATE: 25FEB2009
DESIGNED BY: SP8E2009	DESIGNED BY: SP8E2009	DESIGNED BY: SP8E2009	DESIGNED BY: SP8E2009
CHECKED BY: SP8E2009	CHECKED BY: SP8E2009	CHECKED BY: SP8E2009	CHECKED BY: SP8E2009
APPROVED BY: SP8E2009	APPROVED BY: SP8E2009	APPROVED BY: SP8E2009	APPROVED BY: SP8E2009
DATE: 25FEB2009	DATE: 25FEB2009	DATE: 25FEB2009	DATE: 25FEB2009
TIME: 10:00 AM	TIME: 10:00 AM	TIME: 10:00 AM	TIME: 10:00 AM
BY: SP8E2009	BY: SP8E2009	BY: SP8E2009	BY: SP8E2009
DATE: 25FEB2009	DATE: 25FEB2009	DATE: 25FEB2009	DATE: 25FEB2009
TIME: 10:00 AM	TIME: 10:00 AM	TIME: 10:00 AM	TIME: 10:00 AM
BY: SP8E2009	BY: SP8E2009	BY: SP8E2009	BY: SP8E2009
DATE: 25FEB2009	DATE: 25FEB2009	DATE: 25FEB2009	DATE: 25FEB2009
TIME: 10:00 AM	TIME: 10:00 AM	TIME: 10:00 AM	TIME: 10:00 AM
BY: SP8E2009	BY: SP8E2009	BY: SP8E2009	BY: SP8E2009