

4




3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
AD	39	F	LNK	DESCRIPTION	DATE	BY	APPD
		H2		REVISED PER ECO-11-004820	11MAR11	RK	HMR



- 1 THIS COVER WILL MATE WITH COVER HALVES 102540, 102541, OR 102537
- ⚠ MATERIAL: FLAME RETARDANT THERMOPLASTIC, COLOR-BLACK
- ⚠ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

OBSOLETE	91.44 [3.600]	88.90 [3.500]	35	72	3-102536-4
OBSOLETE	88.90 [3.500]	86.36 [3.400]	34	70	3-102536-3
OBSOLETE	86.36 [3.400]	83.82 [3.300]	33	68	3-102536-2
OBSOLETE	83.82 [3.300]	81.28 [3.200]	32	66	3-102536-1
	81.28 [3.200]	78.74 [3.100]	31	64	3-102536-0
OBSOLETE	78.74 [3.100]	76.20 [3.000]	30	62	2-102536-9
	76.20 [3.000]	73.66 [2.900]	29	60	2-102536-8
OBSOLETE	73.66 [2.900]	71.12 [2.800]	28	58	2-102536-7
OBSOLETE	71.12 [2.800]	68.58 [2.700]	27	56	2-102536-6
OBSOLETE	68.58 [2.700]	66.04 [2.600]	26	54	2-102536-5
OBSOLETE	66.04 [2.600]	63.50 [2.500]	25	52	2-102536-4
OBSOLETE	63.50 [2.500]	60.96 [2.400]	24	50	2-102536-3
OBSOLETE	60.96 [2.400]	58.42 [2.300]	23	48	2-102536-2
OBSOLETE	58.42 [2.300]	55.88 [2.200]	22	46	2-102536-1
OBSOLETE	55.88 [2.200]	53.34 [2.100]	21	44	2-102536-0
OBSOLETE	53.34 [2.100]	50.80 [2.000]	20	42	1-102536-9
	50.80 [2.000]	48.26 [1.900]	19	40	1-102536-8
OBSOLETE	48.26 [1.900]	45.72 [1.800]	18	38	1-102536-7
OBSOLETE	45.72 [1.800]	43.18 [1.700]	17	36	1-102536-6
	43.18 [1.700]	40.64 [1.600]	16	34	1-102536-5
⚠ OBSOLETE	40.64 [1.600]	38.10 [1.500]	15	32	1-102536-4
	38.10 [1.500]	35.56 [1.400]	14	30	1-102536-3
	35.56 [1.400]	33.02 [1.300]	13	28	1-102536-2
	33.02 [1.300]	30.48 [1.200]	12	26	1-102536-1
	30.48 [1.200]	27.94 [1.100]	11	24	1-102536-0
⚠ OBSOLETE	27.94 [1.100]	25.40 [1.000]	10	22	102536-9
	25.40 [1.000]	22.86 [900]	9	20	102536-8
	22.86 [900]	20.32 [800]	8	18	102536-7
	20.32 [800]	17.78 [700]	7	16	102536-6
	17.78 [700]	15.24 [600]	6	14	102536-5
	15.24 [600]	12.70 [500]	5	12	102536-4
	12.70 [500]	10.16 [400]	4	10	102536-3
	10.16 [400]	7.62 [300]	3	8	102536-2
	7.62 [300]	5.08 [200]	2	6	102536-1

C	B	A	NO OF POSN	PART NUMBER
---	---	---	------------	-------------

THIS DRAWING IS A CONTROLLED DOCUMENT. **TE** TE Connectivity

DIMENSIONS: mm [INCHES] 0 PLG ± .015 1 PLG ± .015 2 PLG ± .015 3 PLG ± .015 4 PLG ± .015 ANGLES ± .015	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLG ± .015 1 PLG ± .015 2 PLG ± .015 3 PLG ± .015 4 PLG ± .015 ANGLES ± .015	DESIGNER: RACHAVENDRA CHECKED: JEFFREY GESFORD APPROVED: JEFFREY GESFORD PRODUCT SPEC:	NAME: JEFFREY GESFORD APPLICATION SPEC:	SIZE: A2 CASE CODE: 00779 DRAWING NO: C=102536	RESTRICTED TO:
--	---	---	--	--	----------------

CUSTOMER DRAWING SCALE: 5:1 SHEET 1 of 1 REV: H2