

DRAWING MADE IN THIRD ANGLE PROJECTION



3

2

1

LOC DIST AD 39

REVISIONS					
P	F	ZONE	DESCRIPTION	DATE	APPROVED
0	1	E2	REVISED PER ECO-11-005140	3/18/81	HMR



3.600	3.500	35	72	3-102681	-1	
3.500	3.400	34	70	3-	-0	
3.400	3.300	33	68	2-	-9	
3.300	3.200	32	66	2-	-8	
3.200	3.100	31	64	2-	-7	
3.100	3.000	30	62	2-	-6	
3.000	2.900	29	60	2-	-5	
2.900	2.800	28	58	2-	-4	
2.800	2.700	27	56	2-	-3	
2.700	2.600	26	54	2-	-2	
2.600	2.500	25	52	2-	-1	
2.500	2.400	24	50	2-	-0	
2.400	2.300	23	48	1-	-9	
2.300	2.200	22	46	1-	-8	
2.200	2.100	21	44	1-	-7	
2.100	2.000	20	42	1-	-6	
2.000	1.900	19	40	1-	-5	
1.900	1.800	18	38	1-	-4	
1.800	1.700	17	36	1-	-3	
1.700	1.600	16	34	1-	-2	
4 OBSOLETE	1.600	1.500	15	32	1-	-1
1.500	1.400	14	30	1-	-0	
1.400	1.300	13	28		-9	
1.300	1.200	12	26		-8	
1.200	1.100	11	24		-7	
4 OBSOLETE	1.100	1.000	10	22		-6
1.000	.900	9	20		-5	
.900	.800	8	18		-4	
.800	.700	7	16		-3	
.700	.600	6	14		-2	
.600	.500	5	12	102681	-1	
C	B	A		NO. OF POS.	PART NO.	

- 1. NO. OF POS. PERTAINS TO HOUSING SIZE.
- 2. THIS COVER TO BE USED WITH 102536.
- △ OBSOLETE PART NUMBER
- 4 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. TOLERANCES ON: DECIMALS ±.005 ANGLES	CONTRACT NO	STE TE Connectivity	
	DR	NAME	
	CHK	COVER-HALF, LATCH, MASS TERMINATION, AMPMODU, .100 t, FULL BAR POLARIZATION	
	MATERIAL FLAME RETARDANT THERMOPLASTIC COLOR = BLACK FINISH	APPD	SIZE
	DSGN APPD	C	00779 102681
	OTHER APPD	SCALE	SHEET 1 of 1

CUSTOMER DRAWING