


- NOTES
- ▲ CONTACT POSITION AT PCB
  - ▲ LEAD AND LEADSPACING
  - ▲ LEAD AND HOUSING NO.
  - ▲ CONTACT CAVITY NO., PCB POS.
  - ▲ CONTACT 92803-1 MATERIAL: CU90
  - ▲ DESIGN ACC EN 60249 (SINGLE AND DOUBLE SIDED)
  - ▲ LOCKING CLIP BETWEEN CONTACT CAVITY SEE TABLE
  - ▲ KEYING RIB BETWEEN CONTACT CAVITY SEE TABLE
  - ▲ KEYING RIB AFTER LAST CAVITY
  - ▲ KEYING RIB BEFORE FIRST CAVITY
  - ▲ VERSION 'ON TAPE' SEE DRAWING 72573M
  - ▲ CONDITION AS DELIVERED, BOTH VERSIONS FEASIBLE
  - ▲ MATERIAL PAG (GW T 750 °C WITHOUT FLAME)
  - ▲ OBSOLETE PARTS: OBSOLETE C IS STREAMLINING PER D.06.NA.00.0.SINISI
  - ▲ OBSOLETE

Part No	PCB Design	Keying Rib Between Cavity	Locking Clip Between Cavity	Colour	X	A	POS	Part No Loose Piece
▲ 1-82024-0	2-3	1-2, 9-10	-	GREY	49.8	45.0	10	▲ 1-82024-0
▲ 1-82024-9	2-3	1-2, 8-9	-	NATURAL	44.8	40.0	9	▲ 1-82024-9
▲ 1-82024-9	2-3	1-2, 8-9	42.3	GREY	44.8	40.0	9	▲ 1-82024-9
▲ 1-82024-0	2-3	1-2, 8-9	-	NATURAL	44.8	40.0	9	▲ 1-82024-0
OBsolete 0-82024-0	2-3	1-2, 7-8	37.3	GREY	39.8	35.0	8	▲ 0-82024-0
▲ OBSOLETE 1-82024-0	2-3	1-2, 7-8	-	GREY	39.8	35.0	8	▲ 1-82024-0
▲ OBSOLETE 5-82024-0	2-3	1-2, 7-8	-	NATURAL	34.8	30.0	7	▲ 5-82024-0
▲ OBSOLETE 9-82024-7	5-6	1-2, 6-7	-	GREY	34.8	30.0	7	▲ 9-82024-7
▲ OBSOLETE 1-82024-7	5-6	1-2, 6-7	-	NATURAL	34.8	30.0	7	▲ 1-82024-7
OBsolete 9-82024-6	5-6	1-2, 5-6	-	NATURAL	29.8	25.0	6	▲ 9-82024-6
OBsolete 8-82024-6	5-6	1-2, 5-6	27.3	GREY	29.8	25.0	6	▲ 8-82024-6
▲ OBSOLETE 1-82024-6	2-3	1-2, 5-6	-	GREY	29.8	25.0	6	▲ 1-82024-6
▲ OBSOLETE 9-82024-5	4-5	1-2, 4-5	-	NATURAL	24.8	20.0	5	▲ 9-82024-5
▲ OBSOLETE 5-82024-5	2-3	1-2, 4-5	22.3	GREY	24.8	20.0	5	▲ 5-82024-5
▲ OBSOLETE 9-82024-4	1-2	1-2, 3-4	17.3	NATURAL	19.8	15.0	4	▲ 9-82024-4
▲ OBSOLETE 5-82024-4	1-2	1-2, 3-4	17.3	GREY	19.8	15.0	4	▲ 5-82024-4
▲ OBSOLETE 9-82024-3	1-2	1-2, 3-4	17.3	NATURAL	14.8	10.0	3	▲ 9-82024-3
▲ OBSOLETE 1-82024-3	1-2	1-2, 3-4	17.3	GREY	14.8	10.0	3	▲ 1-82024-3
▲ OBSOLETE 9-82024-2	1-2	1-2, 2-3	12.3	NATURAL	9.8	5.0	2	▲ 9-82024-2
▲ OBSOLETE 5-82024-2	1-2	1-2, 2-3	12.3	GREY	9.8	5.0	2	▲ 5-82024-2
▲ OBSOLETE 9-82024-1	1-2	1-2, 1-2	7.3	NATURAL	4.8	0.0	1	▲ 9-82024-1
▲ OBSOLETE 5-82024-1	1-2	1-2, 1-2	7.3	GREY	4.8	0.0	1	▲ 5-82024-1



Part No	PCB Design	Keying Rib Between Cavity	Locking Clip Between Cavity	Colour	X	A	POS	Part No Loose Piece
▲ 1-82024-0	2-3	1-2, 9-10	-	GREY	49.8	45.0	10	▲ 1-82024-0
▲ 1-82024-9	2-3	1-2, 8-9	-	NATURAL	44.8	40.0	9	▲ 1-82024-9
▲ 1-82024-9	2-3	1-2, 8-9	42.3	GREY	44.8	40.0	9	▲ 1-82024-9
▲ 1-82024-0	2-3	1-2, 8-9	-	NATURAL	44.8	40.0	9	▲ 1-82024-0
OBsolete 0-82024-0	2-3	1-2, 7-8	37.3	GREY	39.8	35.0	8	▲ 0-82024-0
▲ OBSOLETE 1-82024-0	2-3	1-2, 7-8	-	GREY	39.8	35.0	8	▲ 1-82024-0
▲ OBSOLETE 5-82024-0	2-3	1-2, 7-8	-	NATURAL	34.8	30.0	7	▲ 5-82024-0
▲ OBSOLETE 9-82024-7	5-6	1-2, 6-7	-	GREY	34.8	30.0	7	▲ 9-82024-7
▲ OBSOLETE 1-82024-7	5-6	1-2, 6-7	-	NATURAL	34.8	30.0	7	▲ 1-82024-7
OBsolete 9-82024-6	5-6	1-2, 5-6	-	NATURAL	29.8	25.0	6	▲ 9-82024-6
OBsolete 8-82024-6	5-6	1-2, 5-6	27.3	GREY	29.8	25.0	6	▲ 8-82024-6
▲ OBSOLETE 1-82024-6	2-3	1-2, 5-6	-	GREY	29.8	25.0	6	▲ 1-82024-6
▲ OBSOLETE 9-82024-5	4-5	1-2, 4-5	-	NATURAL	24.8	20.0	5	▲ 9-82024-5
▲ OBSOLETE 5-82024-5	2-3	1-2, 4-5	22.3	GREY	24.8	20.0	5	▲ 5-82024-5
▲ OBSOLETE 9-82024-4	1-2	1-2, 3-4	17.3	NATURAL	19.8	15.0	4	▲ 9-82024-4
▲ OBSOLETE 5-82024-4	1-2	1-2, 3-4	17.3	GREY	19.8	15.0	4	▲ 5-82024-4
▲ OBSOLETE 9-82024-3	1-2	1-2, 3-4	17.3	NATURAL	14.8	10.0	3	▲ 9-82024-3
▲ OBSOLETE 1-82024-3	1-2	1-2, 3-4	17.3	GREY	14.8	10.0	3	▲ 1-82024-3
▲ OBSOLETE 9-82024-2	1-2	1-2, 2-3	12.3	NATURAL	9.8	5.0	2	▲ 9-82024-2
▲ OBSOLETE 5-82024-2	1-2	1-2, 2-3	12.3	GREY	9.8	5.0	2	▲ 5-82024-2
▲ OBSOLETE 9-82024-1	1-2	1-2, 1-2	7.3	NATURAL	4.8	0.0	1	▲ 9-82024-1
▲ OBSOLETE 5-82024-1	1-2	1-2, 1-2	7.3	GREY	4.8	0.0	1	▲ 5-82024-1

