

4


3

2



1

THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		AUG. 2004.	
COPYRIGHT 2004 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.					
POWER POST	6.5 4 4	1, 41	4	1, 41	
SIGNAL POST	4.4 2.8	4~38	8	2, 3, 39, 40	
SIGNAL POST	4.4 4	140	140	4~38	
CONTACT NAME	L1 L2	CONTACT LOCATION <COLUMN NO.>	CONTACT LOCATION <COLUMN NO.>		
		5179452-1	1-5179452-1		


LOC	DIST	REVISIONS			
J		変更			
P	LTR	DESCRIPTION	DATE	DWN	APVD
0		RELEASED	FJB0-0763-04	06AUG04	C.O K.I




-1; 本図 (-1; AS SHOWN)




D-D SCALE 20:1



C-C SCALE 20:1




A-A SCALE 4:1



B-B SCALE 4:1

鉛フリー LEAD FREE



④	ヘッダ・ハウジング	HDR HOUSING	液晶ポリマー (黒)	LIQUID CRYSTAL POLYMER
③	パワー・ポスト (LONG)	POWER POST (LONG)	銅合金 FINISH UNDER Ni 1.27μm MIN COPPER ALLOY	CONTACT AREA Au 0.5μm MIN TINE AREA TIN PL. 1μm MIN
②	パワー・ポスト (SHORT)	POWER POST (SHORT)	銅合金 FINISH UNDER Ni 1.27μm MIN COPPER ALLOY	CONTACT AREA Au 0.5μm MIN TINE AREA TIN PL. 1μm MIN
①	シグナル・コンタクト	SIGNAL CONTACT	銅合金 FINISH UNDER Ni 1.27μm MIN COPPER ALLOY	CONTACT AREA Au 0.5μm MIN TINE AREA TIN PL. 1μm MIN
ITEM NO.	名称/NAME		材質/MATERIAL	
THIS DRAWING IS A CONTROLLED DOCUMENT.				
DIMENSIONS: 単位: 概 mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 単位: 概公差		DWN C.OHASHI 06AUG04
0 PLC ±		1 PLC ±		CHK T.KIMURA 06AUG04
1 PLC ±		2 PLC ±		APVD K.IKEGAMI 06AUG04
2 PLC ±		3 PLC ±		NAME 152P (140 SIGNAL) HDR. ASSY
3 PLC ±		4 PLC ±		Z-PACK J-II DISK ARRAY CONN.
4 PLC ±		FINISH 仕上		SIZE A3 CAGE CODE 00779 DRAWING NO. 5179452
MATERIAL 材料		SEE TABLE 表参照		RESTRICTED
GENERAL TOLERANCE 一般公差		10 ≥: ±0.2		CUSTOMER DRAWING
30 ≥ > 10: ±0.25		100 ≥ > 30: ±0.3		SCALE 1:1
ANGLES: ±3°				SHEET 1 of 1
				REV 0