

4



3

2

1


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION MAY, 1977.
 © COPYRIGHT 1977 By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
J	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
		R1		REVISED PER ECO-11-005030	11MAR11	RK	HMR




△ LOCKING HOLE IS PLACED ON THE CENTER OF POST HEADER.


△ ロッキング凹部位置は長手方向の中央。



3~12 POS 極



2 POS 極



RECOMMENDED BOARD LAYOUT (1.6 THK)
 取付基板寸法(基板厚1.6t)

30.0	27.5	11	12	9-171826-2	7-171826-2	5-171826-2	3-171826-2	1-171826-2	
25.0	22.5	9	10	9- -0	7- -0	5- -0	3- -0	1- -0	
22.5	20.0	8	9	8- -9	6- -9	4- -9	2- -9	-9	
20.0	17.5	7	8	8- -8	6- -8	4- -8	2- -8	-8	
17.5	15.0	6	7	8- -7	6- -7	4- -7	2- -7	-7	
15.0	12.5	5	6	8- -6	6- -6	4- -6	2- -6	-6	
12.5	10.0	4	5	8- -5	6- -5	4- -5	2- -5	-5	
10.0	7.5	3	4	8- -4	6- -4	4- -4	2- -4	-4	
7.5	5.0	2	3	8- -3	6- -3	4- -3	2- -3	-3	
表示				2	8-171826-2	6-171826-2	4-171826-2	2-171826-2	171826-2
±0.2	±0.5	A	NO OF POS	RED	GREEN	BLUE	BLACK	NATURAL	
C	B		極数	赤色	緑色	青色	黒色	自然色	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 単位: 純 mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 公差	DWN T.DOI 14MAY77	TE Connectivity	
0 PLC ±0.3	1 PLC ±0.3	CHK H.TAGUCHI 14MAY77		
2 PLC ±0.3	3 PLC ±0.3	APVD H.TAGUCHI 14MAY77		
4 PLC ±0.3	ANGLES ±	NAME	POST HEADER ASSY (HORIZONTAL)	
MATERIAL HSG : 66NYLON UL94V-0	FINISH 仕上	PRODUCT SPEC 製品規格	AMP EI SERIES CONNECTOR	
POST: BRASS	POST: TIN-PLATE	APPLICATION SPEC 取付適用規格	SIZE A3	CAGE CODE 00779
		WEIGHT	DRAWING NO 番号	RESTRICTED TO
		CUSTOMER DRAWING	C=171826	SCALE 尺度 4:1
			SHEET 1 OF 1	REV R1