

4




3

2


1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.


LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
B2		REVISED PER ECO-11-005033		29MAR11	RK	HMR	



ISOMETRIC VIEW
SCALE 3:1



ISOMETRIC VIEW
SCALE 3:1



- NOTES:
1. MATERIAL:
HOUSING: NYLON (GF) UL 94V-0
POST: PRE-TIN 0.5MM SQ BRASS WIRE
 2. GENERAL TOLERANCE ±0.3

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	J.JIANG	13FEB03	 TE Connectivity	NAME		DBL ROW (H) TYPE WITH BOARLOCK HDR ASSY	
DIMENSIONS:		CHK	S.YAO	13FEB03		PRODUCT SPEC		For AMP Mini Common Terminated (CT)	
mm		APVD	T.SASAKI	13FEB03		APPLICATION SPEC		Connector 1.5mm Pitch	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		WEIGHT		114-5223	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
0 PLC ± -		CUSTOMER DRAWING			A3	00779	C-292262	-	
1 PLC ± 0.3		SCALE		4:1	SHEET		1 of 2		
2 PLC ± 0.18		SCALE		4:1	SHEET		1 of 2		
3 PLC ± 0.001		SCALE		4:1	SHEET		1 of 2		
4 PLC ± 0.0001		SCALE		4:1	SHEET		1 of 2		
ANGLES ± -		SCALE		4:1	SHEET		1 of 2		
FINISH		SCALE		4:1	SHEET		1 of 2		
MATERIAL		SCALE		4:1	SHEET		1 of 2		
SEE NOTE		SCALE		4:1	SHEET		1 of 2		

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN	APVD	
ES	00	SEE SHEET 1	-	-	-	

2.7	35.5	28.5	34.1	35.5	40	9-292262-0	4-292262-0
2.6	31.0	27.0	32.6	34.0	38	8-292262-8	3-292262-8
2.5	29.5	25.5	31.1	32.5	36	8-292262-6	3-292262-6
2.4	28.0	24.0	29.6	31.0	34	8-292262-4	3-292262-4
2.3	26.5	22.5	28.1	29.5	32	8-292262-2	3-292262-2
2.2	25.0	21.0	26.6	28.0	30	8-292262-0	3-292262-0
2.1	23.5	19.5	25.1	26.5	28	7-292262-8	2-292262-8
2.0	22.0	18.0	23.6	25.0	26	7-292262-6	2-292262-6
1.9	20.5	16.5	22.1	23.5	24	7-292262-4	2-292262-4
1.8	19.0	15.0	20.6	22.0	22	7-292262-2	2-292262-2
NET WEIGHT (g)	D	C	B	A	POS	BLUE	GRAY (NATURAL)
DIMENSIONS					P/N		

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		TE Connectivity	
DIMENSIONS: mm		CHK		NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD		DBL ROW (H) TYPE WITH BOARLOCK HDR ASSY	
0 PLC ± -		PRODUCT SPEC		For AMP Mini Common Terminated (CT)	
1 PLC ± 0.3		APPLICATION SPEC		Connector 1.5mm Pitch	
2 PLC ± 0.18		WEIGHT		RESTRICTED TO	
3 PLC ± 0.001		A.3		00779 C-292262	
4 PLC ± 0.0001		CUSTOMER DRAWING		SCALE 1:1 SHEET 2 of 2 REV B2	
FINISH		SEE SHEET 1			
MATERIAL		SEE SHEET 1			
SEE NOTE 1					