



REVISED PER		ECO-10-000444	DATE	BY	APP'D
0	RELEASED		FJBO-0178-04	14MMV04	T.K. K.J.
01	REVISED PER		25JAN10	KK	HMR

- △ PLATING CONNECTOR:
CONTACT AREA: 0,76µm Au MIN. OVER 1,27µm Ni MIN.
ACTION PIN : 0,5µm SnPb MIN. OVER 1,27µm Ni MIN.
- △ PLATING CONNECTOR:
CONTACT AREA: 0,76µm Au MIN. OVER 1,27µm Ni MIN.
ACTION PIN : 0,5µm Sn MIN. OVER 1,27µm Ni MIN.
- △ PLATING SHIELD:
CONTACT AREA: 0,76µm Au MIN.
ACTION PIN : 0,5µm SnPb MIN.
REMAINDER : Ni
- △ PLATING SHIELD:
CONTACT AREA: 0,76µm Au MIN.
ACTION PIN : 0,5µm Sn MIN.
REMAINDER : Ni
- △ MATERIAL CONTACTS; PHOSPHORBRONZE
MATERIAL SHIELD; PHOSPHORBRONZE
- △ MATERIAL HOUSING; GLASSFILLED POLYESTER (GRAY)
- △ ASSEMBLY PRINTED WITH P/N AND DATECODE
THE MARKING CAN APPEAR ON THE FRONT SIDE OR BACK SIDE.
- △ HOLE PATTERN FOR FEMALE CONNECTOR TYPE B
- △ 125 PLATED-THROUGH HOLES AT 2x2mm SQUARE GRID
- △ ROW "1" 13 PLATED THROUGH HOLES FOR UPERSHIELD
- △ CONNECTOR LUBRICATED WITH BELLCORE
APPROVED LUBRICANT, TECHNICAL REFERENCE
TR-NWT-001217 ISSUE 1, SEPT. 1992.
- △ CONNECTOR TESTED AND QUALIFIED AGAINST BELLCORE
QUALITY LEVEL III, CENTRAL OFFICE APPLICATIONS.

10 BASIC P.N. LOWERSHIELD: 1746986.
 △ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

FINISH	MATERIAL	PART NUMBER
△△△	△△△	1-1746993-9
△△△	△△△	1-1746993-1
△△△	△△△	1746993-9
△△△	△△△	1746993-1

THIS DRAWING IS A CONTROLLED DOCUMENT		DWN T. IZATANO 10MMV04		Tyo Electronics AMP S.A.S.	
DIMENSIONS: 0.1mm		CHK T. IZUMURA 14MMV04		Kawasaki, Japan	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRD K. IZEGAMI 14MMV04		Z-PACK 2mm HM	
0 PLG	F	0.5	0.5	125 POS. FEMALE CONNECTOR TYPE B	
1 PLG	E	0.3	0.3	WITH GROUND RETURN UPPER SHIELD	
2 PLG	D	0.3	0.3	RESTRICTED TO	
3 PLG	B	0.3	0.3	A2 00779 C=1746993	
4 PLG	A	0.3	0.3	SCALE 5:1 SHEET 1 OF 1 REV 01	
FINISH: SEE TABLE		APPLICATION SPEC: 14-19029		CUSTOMER DRAWING	
MATERIAL: SEE TABLE		HEIGHT: -			

P.C.B. HOLE DIM. ACTION PIN
 FIN. HOLE : 0,55 TO 0,65mm
 OTHER REQUIREMENTS SEE
 APPLICATION SPECIFICATION
 114-19029

COMPONENT SIDE AS SHOWN
 RECOMMENDED PCB-HOLE LAY-OUT
 SCALE 2,5:1