

4

3


2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2004.
 COPYRIGHT 2003 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

REV. NO.	DATE	BY	APP'D
B	20JUN04	T.K.	Y.Y.

-7 ; AS SHOWN



ITEM	材料 (MATERIAL)	仕上 (FINISH)
①	銅合金 COPPER ALLOY	全面ニッケル下地めっき 種別: 金めっき (0.1μm以上) タイン層: りめっき NICKEL UNDER PLATE ALL OVER CONTACT AREA: Au (0.1μm) SOLDER TINE AREA; TIN PLATE
②	PBT	色: 黒 COLOR: BLACK
③	鋼 t=0.25 STEEL t=0.25	鋼下地めっき上にニッケルめっき NICKEL PLATE OVER COPPER UNDERPLATE
⑤	銅合金 COPPER ALLOY	全面ニッケル下地の上に全面りめっき NICKEL UNDER PLATE ALL OVER, TIN PLATING ALL OVER.
⑥	鋼 STEEL	全面鋼下地全面ニッケルめっき Cu UNDER PLATE ALL OVER, NICKEL PLATING ALL OVER.

注記
 1 適用ねじ: M2.6なべねじ
 2 推奨基板厚: 1.6mm (参考)
 3 ポストは本配列より除きます。
 NOTE
 1 RECOMMENDED SCREW SIZE: M2.6 PANHEAD SCREW
 2 RECOMMENDED P.C BOARD THICKNESS: 1.6mm (REF)
 3 POST PATTERN AS SHOWN ON THIS END FOR ALL POSITION.

鉛フリー
LEAD FREE

7.6	37.5	10.3	37.11	52.40	35.48	46.50	30.48	24	50	316998-7	
6.8	28.61	8.3	28.21	43.51	26.59	37.61	21.59	17	36	316998-5	
Weight(g)		H	G	F	E	C	B	A	N	POSITION	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT. DIM: T.KAWAMAE 20JUN03
 CHK: H.SHIRAI 20JUN03
 APPD: Y.YAMAMOTO 20JUN03
 PRODUCT SPEC: 108-5288
 APPLICATION SPEC: SEE TABLE
 MATERIAL: SEE TABLE
 FINISH: SEE TABLE
 WEIGHT: SEE TABLE
 CUSTOMER DRAWING

tyco Electronics AMP K.K. Kawasaki, Japan
 RECEPTACLE HDR ASS'Y(3.1mm)
 CHAMP.050 SERIES(I) FMS-TYPE
 SEE CASE CODE DRAWING NO. A2 00779 © 316998
 SCALE: 2:1 SHEET 1 OF 1 REV B

パネルカット寸法
 REFERENCE PANEL CUTOUT
 (厚さ2mm最大)
 THK, 2mm MAX