


4 3 2 1

THIS DRAWING IS UNCLASSIFIED
 (C) COPYRIGHT 19 BY AMP INCORPORATED. ALL RIGHTS RESERVED.

REV	DATE	BY	APP'D	DESCRIPTION
R	7-03	CT	DM	REV PER 063D-0012-01



PRELIMINARY NOT RELEASED FOR PRODUCTION

$\Delta 4$.185 [4.70]	.136 [3.45]	#10 AWG	211161-4
$\Delta 4$.230 [5.84]	.181 [4.60]	#8 AWG	211161-3
$\Delta 3$.185 [4.70]	.136 [3.45]	#10 AWG	211161-2
$\Delta 3$.230 [5.84]	.181 [4.60]	#8 AWG	211161-1
FINISH	DIM B	DIM A	WIRE SIZE	PART NUMBER

- THIS PART CONFORMS TO REQUIREMENTS FOR DANIELS CRIMP TOOL NO. M300-BT, WITH DANIELS POSITIONER PART NO. SP689, STRIP LENGTH .375, #8 AWG SETTING 7, #10 AWG SETTING 6.
 - MATES WITH 211159-1 IN AMPLIMITE CONNECTOR ASSEMBLIES ONLY.
- $\Delta 4$ FINISH: PLATED GOLD .000050 [0.00127] MIN THK PER MIL-G-45204 OVER NICKEL .000050 [0.00127] MIN THK PER QQ-N-290.
- $\Delta 4$ FINISH: PLATED GOLD .000030 [0.00076] MIN THK PER MIL-G-45204 OVER NICKEL .000050 [0.00127] MIN THK PER QQ-N-290.

THIS DRAWING IS A CONTROLLED DOCUMENT

DRW	C. C. THOMAS	9-6-00
CHK	CHAD BAKER	9-6-00
APP	CHAD BAKER	9-6-00

AMP AMP Incorporated
 Harrisburg, PA 17105-3608

ASSEMBLY, SOCKET CONTACT
 POWER VIII, #8 & #19 AWG

DATE: 02/07/99 CASE CODE: C-211161 DRAWING NO: 211161
 RESTRICTED TO:

MATERIAL: SEE CALLOUTS FINISH: SEE CALLOUTS HEIGHT: - CUSTOMER DRAWINGS SCALE: 10:1 SHEET 1 OF 1 REV B