





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 COPYRIGHT 2005 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	AFVDT
D		Series geometry	23MAY2007	SKA	TG
E		UPDATED T.E. LOGO	25JUN2010	AV	GT



- Notes:
1. cavities designed for MQS Pin contact PN 1740335-x
 2. Counterpart is Plug PN 1740259-x and corresponding products of the MiniHVL family
 3. Polarity marking +/- only for DC version (Keying LV-2)
 4. PN specific marking

LV-2	0-1740451-2	E	LOW-VOLTAGE 42V DC	7A/42V DC =	YELLOW
LV-1	0-1740451-1	E	LOW-VOLTAGE 42V AC	7A/42V AC ~	LIGHT GREY
HV-3	0-1740262-6	E	HIGH-VOLTAGE 125V AC	6A/125V AC ~	BLUE
HV-1	0-1740262-2	E	HIGH-VOLTAGE 250V AC	2.5A/250V AC ~	BLACK (ANTHRACITE)
HV-1	0-1740262-1	E	HIGH-VOLTAGE 250V AC	2.5A/250V AC ~	NATURAL (WHITE)
Keying	PN	Rev.	REMARKS	Marking	COLOR



<small>THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.</small>		DWN 07FEB2005 CHN H.ATZMANN APYV M.OFFENLOCH T.GERLACH 07FEB2005	Tyco Electronics 1tyco Electronics AMP GmbH D - 64625 Bensheim
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.2 1 PLC ±0.2 2 PLC ±0.2 3 PLC ± 4 PLC ± ANGLES ±	NAME 7.5mm MiniHVL Connector System Outlet	RESTRICTED TO
MATERIAL PA 6	FINISH -	PRODUCT SPEC 108-94018 APPLICATION SPEC 114-18751 WEIGHT 2.2 g	SIZE A3 CAGE CODE 00779 DRAWING NO. G-1740262
CUSTOMER DRAWING		SCALE 2:1	SHEET 1 OF 1 REV E