

4

3


2

1


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
		RELEASED FJBO-0858-03	01OCT03	N.S	Y.Y



FOR DC & CRADLE CABLE



SECT B-B




SECT A-A





- 注記
 △材料 ハウジング: PA46 UL94V-0 色:黒
 シグナルコンタクト: 銅合金(りん青銅、ロックコンタクト: 銅合金(黄銅))
 △仕上げ コンタクト: Ni下地めっき(1μm 以上)
 接触部 金メッキ(0.05μm 以上)
 鍍/銅めっき(ロックコンタクト)(1μm 以上)
 はんだ付部 金めっき(0.05μm 以上)
 鍍/銅めっき(ロックコンタクト)(1μm 以上)
 △オーバーモールドがZONE1,ZONE2の範囲を超えて流れ込まない
 ようにすること。
 4. 本製品はCable ASSYのみ適用可能。基板実装は不可。
 基板実装する場合は弊社へ連絡のこと。

- NOTE
 △MATERIAL HOUSING :46PA UL94V-0, COLOR ;BLACK
 SIGNAL CONTACT :COPPER ALLOY (PHOSPHOR BRONZE)
 LOCK CONTACT :COPPER ALLOY (BRASS)
 △FINISH CONTACT :Ni ALL OVER UNDER PL.(1μm MIN)
 Au PL. AT CONTACT AREA(0.05μm MIN)
 Sn/Cu PL. AT CONTACT AREA (LOCK CONTACT)(1μm MIN)
 Au PL. AT LEAD AREA(0.05μm MIN)
 Sn/Cu PL AT LEAD AREA (LOCK CONTACT)(1μm MIN)
 △OVER MOLD MUST NOT FLOW INTO THE AREA EXCEEDING ZONE 1
 AND ZONE 2.
 4. THIS PRODUCT CAN BE APPLIED TO CABLE ASSY ONLY AND
 CAN NOT BE MOUNTED ON PCB.
 PLEASE CONTACT TYCO, WHEN THIS PRODUCT WILL BE MOUNTED ON PCB.



P/N :1717169-1 AS SHOWN

△	LOCK CONTACT	3
△	CONTACT (S)	2
△	HOUSING	1
	MATERIAL	DISCRIPTION
		ITEM



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 単位: 寸 mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差	DWN N.SASAME 10OCT03	CHK S.KAJINUMA 10OCT03	APVD Y.YAMAMOTO 10OCT03	NAME 製品名 108-5887	Tyco Electronics AMP K.K. Kawasaki,Japan			
	0 PLC ±0.2 1 PLC ±0.2 2 PLC ±0.2 3 PLC ±0.2 4 PLC ±0.2 ANGLES ±2	PRODUCT SPEC 製品規格 108-5887		MULTI MEDIA INTERFACE CONNECTOR PLUG ASSY (14POS)		SIZE A.3	CAGE CODE 00779	DRAWING NO 1717169	RESTRICTED TO
MATERIAL 材料	FINISH 仕上	WEIGHT		CUSTOMER DRAWING		SCALE 尺度 5:1	SHEET 1 OF 2	REV 0	

4

3

2


1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS					
J	-	P	LTR	DESCRIPTION	DATE	DWN	APVD

- 注記
 △材料 ハウジング: PA46 UL94V-0 色:黒
 シグナルコンタクト: 銅合金(りん青銅、ロックコンタクト: 銅合金(黄銅)
 △仕上げ コンタクト: Ni下地めっき(1μm 以上)
 接触部 金メッキ(0.05μm 以上)
 錫/銅めっき(ロックコンタクト)(1μm 以上)
 はんだ付部 金めっき(0.05μm 以上)
 錫/銅めっき(ロックコンタクト)(1μm 以上)
 △3 オーバーモールドがZONE1,ZONE2の範囲を超えて流れ込まない
 ようにすること。
 4. 本製品はCable ASSYのみ適用可能。基板実装は不可。
 基板実装する場合は弊社へ連絡のこと。


- NOTE
 △ MATERIAL HOUSING :46PA UL94V-0, COLOR ;BLACK
 SIGNAL CONTACT :COPPER ALLOY (PHOSPHOR BRONZE)
 LOCK CONTACT :COPPER ALLOY (BRASS)
 △ FINISH CONTACT :Ni ALL OVER UNDER PL.(1μm MIN)
 Au PL. AT CONTACT AREA(0.05μm MIN)
 Sn/Cu PL. AT CONTACT AREA (LOCK CONTACT)(1μm MIN)
 Au PL. AT LEAD AREA(0.05μm MIN)
 Sn/Cu PL AT LEAD AREA (LOCK CONTACT)(1μm MIN)
 △3 OVER MOLD MUST NOT FLOW INTO THE AREA EXCEEDING ZONE 1
 AND ZONE 2.
 4. THIS PRODUCT CAN BE APPLIED TO CABLE ASSY ONLY AND
 CAN NOT BE MOUNTED ON PCB.
 PLEASE CONTACT TYCO, WHEN THIS PRODUCT WILL BE MOUNTED ON PCB.




SECT B-B



SECT A-A





VIEW C



P/N :1717169-2 AS SHOWN

△	LOCK CONTACT	3	
△	CONTACT (S)	2	
△	HOUSING	1	
	MATERIAL	DISCRIPTION	ITEM



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 単位: 特 MM	TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差	DWN	CHK	Tyco Electronics AMP K.K. Kawasaki, Japan
0 PLC ± 0.2 1 PLC ± 0.2 2 PLC ± 0.2 3 PLC ± 0.2 4 PLC ± 0.2 ANGLES ± 2	FINISH 仕上	APVD	NAME 名称	
MATERIAL 材料	△1	PRODUCT SPEC 製品規格 108-5887	APPLICATION SPEC 取付適用規格	MULTI MEDIA INTERFACE CONNECTOR PLUG ASSY (14POS)
		WEIGHT	SIZE 寸法	RESTRICTED TO
			A3 00779	DRAWING NO. 番号 C=1717169
		CUSTOMER DRAWING	SCALE 尺度 5:1	SHEET 2 OF 2 REV 0

AMP 1470-19 REV 31MAR2000

13NOV2002 5:03pm FJ033763 \\JP529DB00\PE_CadData\$\AutoCAD\FI033763_sasa\MMIC\C-dwg\FJB0-085B-03\C-1717169.dwg