

4



3

2

1



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2011  
COPYRIGHT 2011 BY Tyco Electronics Japan G.K. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
A		RELEASED	19JUL2011	C.O	T.K



REFERENCE PCB LAYOUT  
SCALE 10:1

- | ; AS SHOWN  
- | ; 本図



COMPONENT ITEM	QTY	MATERIAL	FINISH
① CONTACT PIN	1	BRASS	Ni: 0.003mm MIN Au: 0.0005mm MIN
② TUBE	1	BRASS	Ni: 0.0014mm MIN Au: 0.0001mm MIN
③ SPRING	1	SWP	Ni: 0.001mm MIN Au: 0.0001mm MIN

- CONTACT FORCE  $0.7 \pm 0.2N / 0.55mm$
- ドライバック及びベークインは不要のこと
- 部品保存期間: 常温常湿で13ヶ月以内
- リール素材: 帯電防止プラスチック  
エンボス、カバーテープは帯電防止材を使用




THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 単位: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: -M3M ± 0.15 0-PLC ± 1-PLC ±0.5 2-PLC ±0.13 3-PLC ±0.013 4-PLC ±0.008 ANGLES 45°
MATERIAL 材料	FINISH 仕上げ
SEE TABLE	SEE TABLE

OWN C. OHASHI	19JUL2011	TE Connectivity	SPRING PROBE CONNECTOR IPOS DROP IN H3.4 WPI.75		
CHK A. KUBO	19JUL2011				
APVD T. KUSUHARA	19JUL2011				
PRODUCT SPEC 規格	108-5976-1	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
APPLICATION SPEC 仕様		A3	00779	C-2174740	
MATERIAL	FINISH	WEIGHT	CUSTOMER DRAWING		
SEE TABLE	SEE TABLE	0.035g	SCALE: 20:1 SHEET 1 OF 2 REV A		

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2011  
 © COPYRIGHT 2011 BY Tyco Electronics Japan G.K. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
J		-		SEE SHEET 1		-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	<b>STE</b> TE Connectivity	
DIMENSIONS: 単位: mm		CHK		
TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差 ±0.2		APVD	NAME 製品名	
0-PLC ±		PRODUCT SPEC 製品規格	SPRING PROBE CONNECTOR	
1-PLC ±0.5		APPLICATION SPEC 製品仕様	IPOS DROP IN	
2-PLC ±0.13		WEIGHT	H3.4 WPI.75	
3-PLC ±0.0003		CUSTOMER DRAWING	SIZE 製品番号	DRAWING NO 製品番号
4-PLC ±0.0003			A300779	C-2174740
ANGLES 度数			SCALE 縮尺	RESTRICTED TO
			NTS	
			SHEET 2	REV A