

4




3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT 19 BY AMP INCORPORATED. ALL RIGHTS RESERVED.

LOC	QTY	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
0		INITIAL RELEASE	02/14/96	KW	JK
A		REV PER ECN #OKSO-0014-96	09/23/96	KW	JK



2 POSN END CAP  
 MATL: PBT, 15% GLASS FILLED  
 FINISH: NATURAL

RETAINER CLIP  $\Delta$   
 MATL: NYLON  
 FINISH: NATURAL

$\Delta$  RETAINER CLIP TO SNAP INTO A  
 6.50 DIA HOLE IN MATERIAL WITH  
 A THICKNESS OF 0.56-5.10.

184186-1

PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN	02/14/96	<b>AMP</b> AMP Incorporated Harrisburg, PA 17105-3608
DIMENSIONS:		CHK	03/08/96	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	03/08/96	
mm	0 PLC ±-	NAME		END CAP HSG ASSY, SSC, 2 POSN L KEY
	1 PLC ±0.3	PRODUCT SPEC		
	2 PLC ±-	SIZE	CAGE CODE	DRAWING NO
	3 PLC ±-	A3	00779	©-184186
	4 PLC ±-	WEIGHT		SCALE
MATERIAL	ANGLES ±-	CUSTOMER DRAWING		2:1
FINISH		SHEET		1 OF 1
		REV		A

AMP1470-19 REV 10/93

23 SEP 1996 10:19:27 AMP33084:US128A>DEPT1135-U, SENSOR>U, 2POSN>U, ENDCAP>U, REV