




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT 2004 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	OWN	APVD
0		RELEASED	ECR-05-007149	19JUL05	W.K S.Y



△	1674454-4
FINISH	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG	WENKE HE	19JUL05	Tyco Electronics AMP K.K.	
		CHK	GAVIN ZHANG	19JUL05	Kawasaki, Japan	
		APD	STEVEN YAO	19JUL05	NAME	HARD TRAY ASS'Y
		PRODUCT SPEC				USB CONNECTOR
		APPLICATION SPEC				REC 4P
		WEIGHT			SIZE	CAGE CODE
					A3	00779
					DRAWING NO	1674454
					RESTRICTED TO	
					SCALE	2:1
					SHEET	1 OF 3
					REV	0

4

3







2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT 2004 BY TYCO ELECTRONICS CORPORATION ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

FRONT SHELL	③
CONTACT	②
HOUSING	①
NAME	ITEM No.



- ⚠ MATERIAL HOUSING:THERMO-PLASTICS UL94V-0 NATURAL
- CONTACT:COPPER ALLOY
- FRONT SHELL:COPPER ALLOY
- ⚠ FINISH CONTACT:NICKEL UNDER PLATE ALL OVER.
- CONTACT AREA:GOLD PLATE
- TINE AREA:TIN PLATE
- FRONT SHELL:TIN PLATE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	Tyco Electronics AMP K.K.	
DIMENSIONS: MM		CHK	Kawasaki, Japan	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME	
0 PLC ± 0.3		PRODUCT SPEC	HARD TRAY ASS'Y	
1 PLC ± 0.3		APPLICATION SPEC	USB CONNECTOR	
2 PLC ± 0.3		WEIGHT	SIZE	CAGE CODE
3 PLC ± 0.3			A3	00779
4 PLC ± 0.3			DRAWING NO	1674454
ANGLES ± 3		CUSTOMER DRAWING	SCALE	SHEET
FINISH			2:1	2 OF 3
				REV 0

4



3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT 2004 BY TYCO ELECTRONICS CORPORATION ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



* THIS DIMENSIONS ARE NOT CONSIDERATION
 PANEL TOLERANCE AND PANEL ASSEMBLY TOLERANCE.

RECOMMENDED PANEL DIMENSION
 (SCALE 2:1)

CONNECTOR FRONT SURFACE

PATTERN, LAND, VIA HOLE, MOUNT, PROHIBITION AREA.
 ONLY THE LAND FOR SOLDERING OF FRONT SHELL IS OK.

RECOMMENDED LAYOUT OF P.C.B
 (CONNECTOR MOUNTING SIDE)
 RECOMMENDED THICKNESS: 1.0~1.6mm

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN			tyco Electronics	Tyco Electronics AMP K.K.	
DIMENSIONS: MM		CHK				Kawasaki, Japan	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD			NAME		HARD TRAY ASS'Y USB CONNECTOR REC 4P
0 PLC ± 0.3		PRODUCT SPEC			SIZE		
1 PLC ± 0.3		APPLICATION SPEC			CAGE CODE		DRAWING NO
2 PLC ± 0.3		WEIGHT			A3 00779		
3 PLC ± 0.3		CUSTOMER DRAWING			DRAWING NO		RESTRICTED TO
4 PLC ± 0.3					C-1674454		
ANGLES ± 3					SCALE		SHEET
FINISH					5:1		
					OF		REV
					3		
					3		0

AMP 1470-19 REV 31MAR2000

20JUN2001 2:25pm FJ044323

L:\EN22_CadData\AutoCAD\fj044323_Umehoro\USB4P\C1674451_1.dwg