








THIS DRAWING IS UNPUBLISHED  
 ALL RIGHTS RESERVED

REV	DATE	DESCRIPTION	BY	CHK	APP
ES	00				



- △ HOUSING MATERIAL: LIQUID CRYSTAL POLYMER  
 COLOR: NATURAL.
- △ CONTACT MATERIAL: PHOSPHOR BRONZE
- △ CONTACT FINISH:  
 UNDERPLATE (ENTIRE CONTACT):  
 0.00127 MIN NICKEL.  
 ON MATING SURFACES:  
 CONFORMS TO ALL TESTING SPECIFIED FOR TELCORDIA  
 UNCONTROLLED ENVIRONMENT.  
 ON LEADS  
 0.0006 MIN TIN-LEAD OVER UNDERPLATE.  
 LUBRICATION (ENTIRE CONTACT):  
 SURFACE CONDITIONER PER AMP SPEC 112-1002 AFTER PLATING.
- △ PART MARKING LOCATED APPROXIMATELY AS SHOWN.
- △ DIMENSION APPLIES WHEN SEATED ON PRINTED CIRCUIT BOARD.
- △ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



NO.	DESCRIPTION	DATE	BY	CHK	APP
130	65	131.88	△	330	1-223002-1
118	59	119.88	△	300	1-223002-0
106	53	107.88	△	270	223002-9
94	47	95.88	△	240	223002-8
82	41	83.88	△	210	223002-7
70	35	71.88	△	180	223002-6
58	29	59.88	△	150	223002-5
46	23	47.88	△	120	223002-4
34	17	35.88	△	90	223002-3
22	11	23.88	△	60	223002-2
10	5	11.88	△	30	223002-1

THIS DRAWING IS A CONTROLLED DOCUMENT. **TE Connectivity**

ASSEMBLY, PIN, SIGNAL, VERTICAL, Z-PACK, 2mm FB, 5 ROW, PRESS FIT LEADS

DATE: 00779 (223002)  
 SIZE: 4.1