

4

3



2

1


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

| LOC | DIST | REVISIONS | | | | | |
|-----|------|-----------|-----|---------------------------|---------|-----|------|
| | | P | LTR | DESCRIPTION | DATE | DWN | APVD |
| J | - | B2 | | REVISED PER ECR-10-019987 | 110CT10 | HMR | TM |

| | | |
|-----|-------------------------------|--|
| ② | ヘッダーハウジング (HEADER HOUSING) | 6/6ナイロンガラス強化 (6/6 NYLON GLASS FILLED) |
| ① | タブ(TAB) | 銅めっき銅合金 (COPPER ALLOY TIN PLATED) |
| NO. | 名称(NAME) | 材料(MATERIAL) |



- 注) ① 取付穴寸法
 ② 導電基板厚: 1.6
 ③ かん合相手製品型番:
 プラグハウジング: SEE TABLE
- NOTES)
 ① RECOMMENDED P.C.B LAY OUT
 ② APPLICABLE P.C.B. THICKNESS:1.6
 ③ MATING CONN. P/N
 PLUG HOUSING :SEE TABLE





| | |
|-------|------|
| パンチ加工 | 1.25 |
| ドリル加工 | 1.4 |
| | A 寸法 |

① プリント基板推奨穴加工寸法

キョク形状:
 キョク無し形状は本タイン部が
 ストレートである。

KINK SHAPE:
 WITHOUT KINK IS
 STRAIGHT SHAPE
 OF TINE.

キーイングタイプ
 THE TYPE OF KEYING



| Part No. | キョク有無 WITHOUT/WITHOUT KINK | キーイングタイプ TYPE OF KEYING | 色 Color | 極数 Pos | 型番 PART NO. |
|-------------|-------------------------------|----------------------------|----------------|------------|----------------|
| 3-1376388-4 | キョク無し WITHOUT KINK | TYPE D | 黄色 YELLOW | 2極 2Pos | 8-1376382-4 |
| 2-1376388-3 | キョク無し WITHOUT KINK | TYPE C | 青色 BLUE | 2極 2Pos | 7-1376382-3 |
| 1-1376388-2 | キョク無し WITHOUT KINK | TYPE B | 赤色 RED | 2極 2Pos | 6-1376382-2 |
| 1376388-1 | キョク無し WITHOUT KINK | TYPE A | 自然色 NATURAL | 2極 2Pos | 5-1376382-1 |
| 3-1376388-4 | キョク有 WITH KINK | TYPE D | 黄色 YELLOW | 2極 2Pos | 3-1376382-4 |
| 2-1376388-3 | キョク有 WITH KINK | TYPE C | 青色 BLUE | 2極 2Pos | 2-1376382-3 |
| 1-1376388-2 | キョク有 WITH KINK | TYPE B | 赤色 RED | 2極 2Pos | 1-1376382-2 |
| 1376388-1 | キョク有 WITH KINK | TYPE A | 自然色 NATURAL | 2極 2Pos | 1376382-1 |

THIS DRAWING IS A CONTROLLED DOCUMENT.

| | | | | | | | | | | | |
|--|--|-----------------|-------|---|-------|---|-------|---|--------|------|------------|
| DWN A.OISHI 28AUG'00 | Tyco Electronics AMP K.K. Kawasaki, Japan | | | | | | | | | | |
| CHK Y.KASHIWA 28AUG'00 | | | | | | | | | | | |
| APVD Y.KASHIWA 28AUG'00 | | | | | | | | | | | |
| NAME Y.KASHIWA | | | | | | | | | | | |
| DIMENSIONS: 単位: 寸 mm | PRODUCT SPEC 製品規格 108-5699 | | | | | | | | | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: 公差 | APPLICATION SPEC 取付適用規格 114-5292 | | | | | | | | | | |
| <table border="1"> <tr> <td>1 P/L</td> <td>± 0.2</td> </tr> <tr> <td>2 P/C</td> <td>±</td> </tr> <tr> <td>3 P/C</td> <td>±</td> </tr> <tr> <td>4 P/L</td> <td>±</td> </tr> <tr> <td>ANGLES</td> <td>± 1°</td> </tr> </table> | 1 P/L | ± 0.2 | 2 P/C | ± | 3 P/C | ± | 4 P/L | ± | ANGLES | ± 1° | SIZE A3 |
| 1 P/L | ± 0.2 | | | | | | | | | | |
| 2 P/C | ± | | | | | | | | | | |
| 3 P/C | ± | | | | | | | | | | |
| 4 P/L | ± | | | | | | | | | | |
| ANGLES | ± 1° | | | | | | | | | | |
| MATERIAL 材料 SEE TABLE | FINISH 仕上 SEE TABLE | | | | | | | | | | |
| CUSTOMER DRAWING | | SCALE 尺度 3:1 | | | | | | | | | |
| | | SHEET 1 OF 1 | | | | | | | | | |
| | | REV B2 | | | | | | | | | |

AMP 1470-19 REV 31MAR2000

04APR2003 11:41am FUJ034500

L:\EN32_Industrial\3rd-group\oishi\autocad\PK?mass pro\EC\???????\c1376382.dwg