







THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION JAN. 1997.  
 © COPYRIGHT 1997 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISED			DATE	DWN	APVD
J		P	LTR	DESCRIPTION			
		A		REVISD ECR-08-000339	01FEB08	T.T	T.F



SEALANT	NOT AVAILABLE	3	18	70	54.7	320	6-5353727-1
	AVAILABLE	↑	↑	↑	48.7	280	6-↑ -0
NON SEALANT	NOT AVAILABLE	3	18	70	42.7	240	5-↑ -9
	NOT AVAILABLE	3	18	70	36.7	200	5-5353727-8
NON SEALANT	NOT AVAILABLE	3	18	70	54.7	320	1-5353727-1
	AVAILABLE	↑	↑	↑	48.7	280	1-↑ -0
NON SEALANT	NOT AVAILABLE	3	18	70	42.7	240	↑ -9
	NOT AVAILABLE	3	18	70	36.7	200	5353727-8
SEALANT	TOOLING STATUS	ROW	QTY	BB	AA	POS.	PART NO.

GENERAL TOLERANCE  
 一般公差  
 10 ≥ ±0.2  
 30 ≥ >10: ±0.25  
 100 ≥ >30: ±0.3  
 ANGLES: ±3°

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 単位: 概 mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差	0 PLC ± -	1 PLC ± -	2 PLC ± -	3 PLC ± -	4 PLC ± -	ANGLES ± -	FINISH 仕上
MATERIAL 材料								

DWN LEO ZHOU 17NOV04  
 CHK STEVEN YAO 17NOV04  
 APVD IENOMOTO 17NOV04  
 PRODUCT SPEC 108-60047  
 APPLICATION SPEC 114-5255

Tyco Electronics Corporation  
 Kawasaki, Japan

SOFT TRAY ASSY  
 FH 0.6BTB CONNECTOR  
 PLUG 8H W/G-PLATE 2ROW TYPE

SIZE A3 CAGE CODE 00779 DRAWING NO. 5353727  
 WEIGHT RESTRICTED TO

CUSTOMER DRAWING SCALE 1:2 SHEET 1 of 3 REV A

4




3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION JAN. 1997.  
 © COPYRIGHT 1997 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
J		P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-



REFERENCE P.C.BOARD LAYOUT

51.8	50.6	47.4	50	54.7	54.7	320	1-5353727-1	&	6-5353727-1		
45.8	44.6	41.4	44	48.7	48.7	280	1-	-0	&	6-	-0
39.8	38.6	35.4	38	42.7	42.7	240		-9	&	5-	-9
33.8	32.6	29.4	32	36.7	36.7	200	5353727-8	&	5-5353727-8		
F	E	D	C	B	A	POS	PART NO.				

- ① MATERIAL ; HOUSING : HIGH TEMP THERMO PLASTIC  
UL94V-0  
CONTACT : COPPER ALLOY
- ② FINISH ; UNDER PL Ni 0.0013mm MIN ALL OVER.  
CONTACT AREA 0.0002 MIN Au PL.  
SOLDERING AREA 0.001 MIN TIN PL.
- ③ THIS POSITION IS GROUND CIRCUIT.
- ④ TRAY TYPE-1 AND TYPE-2 MUST BE  
PILED UP BY TURNS.  
(REFER TO PACKING SPECIFICATIONS)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 単位: 概 mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 公差表	0 PLC ± -	1 PLC ± -	2 PLC ± -	3 PLC ± -	4 PLC ± -	ALL ANGLES ± -
MATERIAL 材料	FINISH 仕上	<p>Tyco Electronics Tyco Electronics Corporation Kawasaki, Japan</p> <p>SOFT TRAY ASSY FH 0.6BTB CONNECTOR PLUG 8H W/G-PLATE 2ROW TYPE</p> <p>SIZE: A3 CAGE CODE: 00779 DRAWING NO: 5353727</p>					
CUSTOMER DRAWING		SCALE 2:1		SHEET 2 OF 3		REV A	

4





3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION JAN. 1997.  
 © COPYRIGHT 1997 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
		P	LTR	DESCRIPTION	DATE	DWN	APVD
J				SEE SHEET 1			



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	Tyco Electronics Corporation Kawasaki, Japan	
DIMENSIONS: 単位: 概 mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差	CHK	NAME 名称	SOFT TRAY ASSY FH 0.6BTB CONNECTOR PLUG 8H W/G-PLATE 2ROW TYPE
0 PLC ± -	1 PLC ± -	APVD	PRODUCT SPEC 製品規格	SIZE CAGE CODE DRAWING NO 番号
2 PLC ± -	3 PLC ± -	APPLICATION SPEC 取付適用規格	WEIGHT	A3 00779 C-535372
4 PLC ± -	ANGLES ± -	MATERIAL 材料	FINISH 仕上	RESTRICTED TO
				CUSTOMER DRAWING SCALE 3:1 SHEET 3 of 3 REV A