

4


3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION BY AMP INCORPORATED. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
E		REV & REDRAWN; 0600-5963-96	11-96	CT	SG



OBsolete	.38 [9.7]	18.00 [457.2]	849672-6
	.38 [9.7]	10.00 [254.0]	849672-5
OBsolete	-	12.00 [304.8]	849672-4
OBsolete	.38 [9.7]	48.00 [1219.2]	849672-3
OBsolete	.38 [9.7]	24.00 [609.6]	849672-2
OBsolete	.38 [9.7]	6.00 [152.4]	849672-1
	B	A	PART NO.

- 1 TOLERANCE OF LEAD LENGTH:
 UP TO 24 INCHES [609.6] = ±.12 [±3.0]
 24 INCHES [609.6] & UP = ±1%
- 2. MARKED PER MIL-STD-130.
- 3 WHERE APPLICABLE PIGTAIL IS SOLDER DIPPED.
- 4. TO MATE WITH AMP LGH-1 RECEPTACLE WITH .75 [19.1] BARREL DEPTH.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED.
INCHES [mm]	
0 PLC	±-
1 PLC	±-
2 PLC	±.02 [0.5]
3 PLC	±.005 [0.13]
4 PLC	±-
ANGLES	±-
MATERIAL	FINISH

DWN	11-27-96
CHK	1-2-97
APVD	1-2-97
NAME	
PRODUCT SPEC	
APPLICATION SPEC	
WEIGHT	
CUSTOMER DRAWING	

AMP AMP Incorporated
 Harrisburg, PA 17105-3608

LEAD ASSY, SGL END, LGH-1 (.75 [19.1] MOLDED END)		
SIZE	CAGE CODE	DRAWING NO
A3	00779	849672
RESTRICTED TO	SCALE	SHEET
	2:1	1 OF 1
REV	E	