





DATE DRAWING TO BE PUBLISHED: 20  
 RECEIVED FOR PUBLICATION: 20  
 ALL RIGHTS RESERVED

REV	DATE	DESCRIPTION	BY	CHK	APP
B		REVISED PER ECO-09-022874	DACTH000	ZNR	MRS
C		REVISED PER ECO-10-004036	ZNR0010	CJV	MRS
D		REVISED PER ECO-11-019224	FLM00012	TA	AC



- △ MATERIAL:  
 CAGE ASSEMBLY: 0.25mm THICK NICKEL SILVER ALLOY  
 LIGHT PIPE BRACKET: STAINLESS STEEL  
 LIGHT PIPE: POLYCARBONATE, CLEAR
- △ FINISH:  
 SPRINGS: MINIMUM OF 0.8um MATTE TIN PLATE OVER A MINIMUM OF 0.8um NICKEL UNDERPLATE. NON-PLATED EDGES PERMISSIBLE.
- 3. MATES WITH SFP MSA COMPLIANT TRANSCEIVERS.
- △ PADS AND VIAS CHASSIS GROUND.
- 5. INTERPRETATION OF DATUM REFERENCE FRAME IN ACCORDANCE WITH SECT 4.4.1.1 OF ASME Y14.5M-1994.
- △ MINIMUM PC BOARD THICKNESS:  
 SINGLE SIDED = 1.50  
 DOUBLE SIDED = 2.25
- △ HOLE PATTERN REPEATS FOR EACH PORT. SPACING BETWEEN PORTS IS 14.25mm.
- △ REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- △ REFERENCE APPLICATION SPEC. 114-13120, HOLE B, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- △ LIGHT PIPE ASSEMBLY SHIPPED UNASSEMBLED TO CAGE ASSEMBLY. CAGE ASSEMBLY TO BE PRESSED INTO THE PCB PRIOR TO ATTACHING THE LIGHT PIPE ASSEMBLY TO THE CAGE.
- △ DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
- 12. CERTAIN MATING TRANSCEIVERS MAY REQUIRE ADDITIONAL PCB THICKNESS THAT WOULD NEED TO BE DETERMINED BY THE CUSTOMER.
- 13. PRODUCT COMPLIES WITH SPECIFICATION SFF-8433 IMPROVED PLUGGABLE FORM FACTOR FOR SFP+ GANGED CAGES.


2007262-1  
 FINISHED ASSEMBLY  
 SCALE 5:1

2007262-1  
 PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		DATE: 18 JUL 2007	BY: SCHMILLT	TE Connectivity
REVISED:	DATE:	BY:	BY:	
1	18 JUL 2007	SCHMILLT	SCHMILLT	
2	18 JUL 2007	HEBERT	HEBERT	
3	18 JUL 2007	HEBERT	HEBERT	
4	18 JUL 2007	HEBERT	HEBERT	
5	18 JUL 2007	HEBERT	HEBERT	
6	18 JUL 2007	HEBERT	HEBERT	
7	18 JUL 2007	HEBERT	HEBERT	
8	18 JUL 2007	HEBERT	HEBERT	
9	18 JUL 2007	HEBERT	HEBERT	
10	18 JUL 2007	HEBERT	HEBERT	
11	18 JUL 2007	HEBERT	HEBERT	
12	18 JUL 2007	HEBERT	HEBERT	
13	18 JUL 2007	HEBERT	HEBERT	
14	18 JUL 2007	HEBERT	HEBERT	
15	18 JUL 2007	HEBERT	HEBERT	
16	18 JUL 2007	HEBERT	HEBERT	
17	18 JUL 2007	HEBERT	HEBERT	
18	18 JUL 2007	HEBERT	HEBERT	
19	18 JUL 2007	HEBERT	HEBERT	
20	18 JUL 2007	HEBERT	HEBERT	
21	18 JUL 2007	HEBERT	HEBERT	
22	18 JUL 2007	HEBERT	HEBERT	
23	18 JUL 2007	HEBERT	HEBERT	
24	18 JUL 2007	HEBERT	HEBERT	
25	18 JUL 2007	HEBERT	HEBERT	
26	18 JUL 2007	HEBERT	HEBERT	
27	18 JUL 2007	HEBERT	HEBERT	
28	18 JUL 2007	HEBERT	HEBERT	
29	18 JUL 2007	HEBERT	HEBERT	
30	18 JUL 2007	HEBERT	HEBERT	
31	18 JUL 2007	HEBERT	HEBERT	
32	18 JUL 2007	HEBERT	HEBERT	
33	18 JUL 2007	HEBERT	HEBERT	
34	18 JUL 2007	HEBERT	HEBERT	
35	18 JUL 2007	HEBERT	HEBERT	
36	18 JUL 2007	HEBERT	HEBERT	
37	18 JUL 2007	HEBERT	HEBERT	
38	18 JUL 2007	HEBERT	HEBERT	
39	18 JUL 2007	HEBERT	HEBERT	
40	18 JUL 2007	HEBERT	HEBERT	
41	18 JUL 2007	HEBERT	HEBERT	
42	18 JUL 2007	HEBERT	HEBERT	
43	18 JUL 2007	HEBERT	HEBERT	
44	18 JUL 2007	HEBERT	HEBERT	
45	18 JUL 2007	HEBERT	HEBERT	
46	18 JUL 2007	HEBERT	HEBERT	
47	18 JUL 2007	HEBERT	HEBERT	
48	18 JUL 2007	HEBERT	HEBERT	
49	18 JUL 2007	HEBERT	HEBERT	
50	18 JUL 2007	HEBERT	HEBERT	
51	18 JUL 2007	HEBERT	HEBERT	
52	18 JUL 2007	HEBERT	HEBERT	
53	18 JUL 2007	HEBERT	HEBERT	
54	18 JUL 2007	HEBERT	HEBERT	
55	18 JUL 2007	HEBERT	HEBERT	
56	18 JUL 2007	HEBERT	HEBERT	
57	18 JUL 2007	HEBERT	HEBERT	
58	18 JUL 2007	HEBERT	HEBERT	
59	18 JUL 2007	HEBERT	HEBERT	
60	18 JUL 2007	HEBERT	HEBERT	
61	18 JUL 2007	HEBERT	HEBERT	
62	18 JUL 2007	HEBERT	HEBERT	
63	18 JUL 2007	HEBERT	HEBERT	
64	18 JUL 2007	HEBERT	HEBERT	
65	18 JUL 2007	HEBERT	HEBERT	
66	18 JUL 2007	HEBERT	HEBERT	
67	18 JUL 2007	HEBERT	HEBERT	
68	18 JUL 2007	HEBERT	HEBERT	
69	18 JUL 2007	HEBERT	HEBERT	
70	18 JUL 2007	HEBERT	HEBERT	
71	18 JUL 2007	HEBERT	HEBERT	
72	18 JUL 2007	HEBERT	HEBERT	
73	18 JUL 2007	HEBERT	HEBERT	
74	18 JUL 2007	HEBERT	HEBERT	
75	18 JUL 2007	HEBERT	HEBERT	
76	18 JUL 2007	HEBERT	HEBERT	
77	18 JUL 2007	HEBERT	HEBERT	
78	18 JUL 2007	HEBERT	HEBERT	
79	18 JUL 2007	HEBERT	HEBERT	
80	18 JUL 2007	HEBERT	HEBERT	
81	18 JUL 2007	HEBERT	HEBERT	
82	18 JUL 2007	HEBERT	HEBERT	
83	18 JUL 2007	HEBERT	HEBERT	
84	18 JUL 2007	HEBERT	HEBERT	
85	18 JUL 2007	HEBERT	HEBERT	
86	18 JUL 2007	HEBERT	HEBERT	
87	18 JUL 2007	HEBERT	HEBERT	
88	18 JUL 2007	HEBERT	HEBERT	
89	18 JUL 2007	HEBERT	HEBERT	
90	18 JUL 2007	HEBERT	HEBERT	
91	18 JUL 2007	HEBERT	HEBERT	
92	18 JUL 2007	HEBERT	HEBERT	
93	18 JUL 2007	HEBERT	HEBERT	
94	18 JUL 2007	HEBERT	HEBERT	
95	18 JUL 2007	HEBERT	HEBERT	
96	18 JUL 2007	HEBERT	HEBERT	
97	18 JUL 2007	HEBERT	HEBERT	
98	18 JUL 2007	HEBERT	HEBERT	
99	18 JUL 2007	HEBERT	HEBERT	
100	18 JUL 2007	HEBERT	HEBERT	

PROENGINEER DRAWING



REV	DATE	DESCRIPTION	BY	CHK	APP
00		SEE SHEET 1			



RECOMMENDED BEZEL CUT-OUT  
SINGLE SIDED APPLICATIONS  
SCALE 3:1



RECOMMENDED BEZEL CUT-OUT  
BELLY TO BELLY APPLICATIONS  
SCALE 5:1



THIS DRAWING IS A CONTROLLED DOCUMENT.		REV. 01	DATE 18 JUL 2007	 TE Connectivity
DESIGNED BY	APPROVED BY	REV. 02	DATE 18 JUL 2007	
DATE	BY	REV. 03	DATE	SFP+ 1X2 CAGE ASSEMBLY PRESS FIT, EXTERNAL LMI SPRINGS WITH LIGHT PIPES
DATE	BY	REV. 04	DATE	
DATE	BY	REV. 05	DATE	STATE CASE CODE (DRAWING NO.) A   00779   2007262
DATE	BY	REV. 06	DATE	
DATE	BY	REV. 07	DATE	CUSTOMER DRAWING



