


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2000  
 © COPYRIGHT 2000 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DRN	APVD
B2		RELEASED ASPER ECR-09-010234	6-May-09	CJ	TS

PN 0-1 As Shown



Contact arrangement  
view from connecting side



- NOTES
- SUITABLE CRIMP CONTACTS: SERIES HSS  
CUSTOMER DRAWING: 1105150  
OUTER DIMENSIONS OF INSULATION: MAX. Ø9.5mm
  - SUITABLE MODULE FIXING FRAME: SERIES HVS SIZE 3 TO 8  
CUSTOMER DRAWING: 1103250
  - SUITABLE INSERTION TOOL:  
CUSTOMER DRAWING: 1102855
  - SUITABLE EXTRACTION TOOL:  
CUSTOMER DRAWING: 1102855
  - STANDARDS:  
DIN EN 61984; DIN EN 60664-1
  - POLARIZATION RIPS
  - MARKING OF POLARIZATION ACCORDING TO MARKING OF  
MODULE FRAME
  - PACKAGING:  
10 PIECES IN A CARTON



Contact arrangement  
view from termination side



QTY	DESCRIPTION	MATERIAL	COLOR	ITEM
1	MALE INSERT	PBT-GF10	LIGHT-GREY	1

PN 0-1 / HVS-HSS.2.ST1.C		Tyco Electronics AMP GmbH 53757 Sankt Augustin, Germany	
NAME		MALE INSERT HVS-HSS.2.ST1.C	
DATE	APPROVED	SIZE	CAGE CODE
20.02.2006	T. SCHNURPFEL	A3	00779
20.02.2006	A. GAST	DRAWING NO	©=1103275
20.02.2006	SCHNEIDER	RESTRICTED TO	
PRODUCT SPEC	108-74082	SCALE	2:1
APPLICATION SPEC	114-74084	SHEET	1 of 1
WEIGHT		REV	B2
CUSTOMER DRAWING			

DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:	
		0 mm	±
		0.05 mm	±
		0.1 mm	±
		0.2 mm	±
		0.3 mm	±
		0.5 mm	±
		1 mm	±
		2 mm	±
		3 mm	±
		4 mm	±
		ANGLES	±
MATERIAL		FINISH	