







THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC DIST  
 ES 00

REVISIONS						
P	LYR	DESCRIPTION	DATE	DWN	APVD	
B	REVISED	ECR-07-012388	31MAY07	T.K	K.I	
C	REVISED PER	ECR-08-009378	15APR2008	A.S	S.Y	
E	REVISED PER	ECR-10-011717	30MAY2010	S.W	S.Y	

1717445-1:AS SHOWN




- 1 MATERIAL  
HOUSING: THERMOPLASTIC RESIN, UL94V-0,  
BLACK  
CONTACT: COPPER ALLOY
- 2 FINISH  
CONTACT: Ni ALL OVER UNDER PL.  
GOLD PL. AT CONTACT AREA  
GOLD FLUSH PL. AT LEAD AREA
- 3 VIEW FROM CONNECTOR MOUNTING SIDE,  
PCB THK 0.8-1.2.

8	1717445-4
8	1717445-3
8	1717445-2
10	1717445-1


DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.3		DWN T. KATANO 08OCT03		Tyco Electronics Shanghai, P.R.China, 200233	
MATERIAL 1		FINISH 2		CKR I. KIMURA 08OCT03		NAME PLUG ASSEMBLY 2.5mm PITCH BATTERY CONNECTOR	
APPLICATION SPEC -		PRODUCT SPEC -		APVD K. IKEGAMI 08OCT03		SIZE CAGE CODE DRAWING NO A3 00779 1717445	
WEIGHT -		CUSTOMER DRAWING		RESTRICTED TO -		SCALE 2:1 SHEET 1 OF 3 REV F	

AMP 1470-19 REV 31MAR2000

PLATEWORKER DRIVING





<small>NOT BEING THE COMPANY'S PROPERTY, IT IS TO BE RETURNED TO THE COMPANY IMMEDIATELY UPON RECEIPT BY THE PURCHASER.</small>		DWN <b>T. KATANO</b> 080CT03 CHK <b>I. KIMURA</b> 080CT03 APVD <b>K. IKEGAMI</b> 080CT03	Tyco Electronics Tyco Electronics Shanghai, P.R.China, 200233
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.3 0. P.L.C ±0.5 1. P.L.C ±0.6 2. P.L.C ±0.13 3. P.L.C ±0.013 4. P.L.C ±0.0001 ANGLES ±3° FINISH -	NAME <b>PLUG ASSEMBLY</b> <b>2.5mm PITCH BATTERY CONNECTOR</b>	SIZE CAGE CODE DRAWING NO <b>A3 00779 C-1717445</b>
MATERIAL -	WEIGHT -	CUSTOMER DRAWING	RESTRICTED TO -
AMP 1470-19 REV 31MAR2000		SCALE 2:1	SHEET 2 OF 3 REV D



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LYR	DESCRIPTION	DATE	OWN	APPD		
-	-	SEE SHEET 1	-	-	-		



PACKAGE MATERIAL FOR 1717445-3/1717445-4  
66PCS/TRAY

<small>NOT BEARING THE COMPANY'S TRADEMARK OR THE TRADEMARK OF ANY OTHER COMPANY                  IF ANY SUCH TRADEMARKS ARE USED IN THIS DRAWING, THE USER SHALL BE RESPONSIBLE FOR THE CLEARANCE THEREOF.</small>		DWN <b>T. KATANO</b> 080CT03 CHK <b>I. KIMURA</b> 080CT03 APPD <b>K. IKEGAMI</b> 080CT03	Tyco Electronics Shanghai, P.R.China, 200233
DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.5 0-P.L.C. ±0.5 1-P.L.C. ±0.5 2-P.L.C. ±0.13 3-P.L.C. ±0.013 4-P.L.C. ±0.0013 ANGLES ±3° FINISH -	PRODUCT SPEC APPLICATION SPEC WEIGHT -	NAME <b>PLUG ASSEMBLY                  2.5mm PITCH BATTERY CONNECTOR</b>
MATERIAL -	FINISH -	SIZE <b>A3</b>	CAGE CODE <b>00779</b>
CUSTOMER DRAWING		DRAWING NO <b>1717445</b>	RESTRICTED TO -
		SCALE 1:2	SHEET 3 OF 3