

4

3

2

1

194032

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 BY AMP INCORPORATED. ALL RIGHTS RESERVED.

REV. CH		DESCRIPTION	DATE	BY	APP'D
A	11	ECN 96060302	07/JAN/98	RNP	RAR
B		EC 0820-0183-98	04/FEB/98	RNP	RAR




FIGURE #1




FIGURE #2




FIGURE #3

- ⚠ MATERIAL: TELLURIUM COPPER.
- ⚠ MATERIAL: BERYLLIUM COPPER.
- ⚠ FINISH: SILVER PLATE 5 μM [200 μIN] THICK MIN. OVER 1.2 μM [50 μIN] THICK MIN. NICKEL OVER 0.1 μM [5 μIN] THICK COPPER FLASH.
- ⚠ FINISH: SILVER PLATE 5 μM [200 μIN] THICK MIN. OVER 1 μM [40 μIN] THICK MIN. NICKEL.
- ⚠ MATERIAL: ACETYL (DELFIN).

2.55 [0.100]	6.35 [0.250]	1	SOCKET, 3MM, #12-14	194032-7
3.68 [0.145]	7.24 [0.285]	3	SOCKET, 3MM, #10	194032-6
4.60 [0.181]	8.42 [0.331]	2	SOCKET, 3MM, #8	194032-5
øB	A DIM	FIGURE #	DESCRIPTION	PART NUMBER

THIS DRAWING IS UNPUBLISHED FOR INFORMATION AND SHOULD BE RELEASED TO THE CUSTOMER.		DATE: 08/SEP/98 BY: [ ] APP'D: [ ]	AMP Incorporated Harrisburg, PA 17105-3608
DIMENSIONS: IN ( ) MM ( )	DIMENSIONS: IN ( ) MM ( )	PRODUCT SPEC: APPLICATION SPEC: WEIGHT: CUSTOMER DRAWING	

AMP 1471-9 REV 10/93

04-FEB-98 12:49:12 amp21803wv/sgc/pending