

4



3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
F	LT	DESCRIPTION	DATE	BY	APP		
FT	0						
	T1	REVISED PER ECO-11-004917	11MAR11	RK	HMR		



- ⚠ 0.76μm [.000030] MIN GOLD PER MIL-G-45204 ON MATING END FOR A LENGTH OF 5.08 [.200] MIN WITH A UNIFORM GRADIENT TO 0.25μm [.000010] MIN GOLD PER MIL-G-45204 ON THE REMAINDER OVER 0.76μm [.000030] MIN NICKEL PER QQ-N-290.
- ⚠ 1.27μm [.000050] MIN TIN-LEAD PER MIL-T-10727 OVER 0.76μm [.000030] MIN NICKEL PER QQ-N-290.
- ⚠ 2.54μm [.000100] MIN TIN-LEAD PER MIL-T-10727 OVER 1.27μm [.000050] MIN NICKEL PER QQ-N-290.
- ⚠ 2.54μm [.000100] MIN TIN PER MIL-T-10727 OVER 1.27μm [.000050] MIN NICKEL PER QQ-N-290.
- ⚠ 1.27μm [.000050] MIN TIN PER MIL-T-10727 OVER 0.76μm [.000030] MIN NICKEL PER QQ-N-290.

SMALL PACK	▲	▲	202237-8
STANDARD	▲	▲	202237-7
SMALL PACK	▲	▲	202237-6
STANDARD	▲	▲	202237-5
SMALL PACK	▲	▲	202237-4
SMALL PACK	▲	▲	202237-3
STANDARD	▲	▲	202237-2
STANDARD	▲	▲	202237-1
PACKAGING TYPE	SOLDER POST FINISH	BODY FINISH	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT. 31JUL01

DR: R. SHIBLEY 20SEP91
 CR: B. STONE 20SEP91
 NAME: J. WESTMAN
 PRODUCT SPEC: _____

TE Connectivity
 SOCKET ASSEMBLY, SOLDER POST, TYPE III+

APPLIC. SPEC: _____
 WEIGHT: _____
 SIZE: A2 CASE CODE: C=202237 DRAWING NO: _____
 RESTRICTED TO: _____

MATERIAL: SEE CALLOUTS
 FINISH: SEE CALLOUTS
 CUSTOMER DRAWING SCALE: 8:1 SHEET: 1 of 1 REV: T1