



4

3



2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION MAR. 2007.  
 COPYRIGHT 2007 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
SEE SHEET 1					

REFERENCE P.C. BOARD PATTERN LAYOUT  
 (CONNECTOR MOUNTING SIDE)



REAL SIZE (SCALE 1:1)

1.8V	17.55	2.4	2.7
POWER SUPPLY	D5	D4	D3

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	Tyco Electronics		Tyco Electronics Corporation Kawasaki, Japan	
DIMENSIONS: MM		CHK	NAME			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	DDR SODIMM SOCKET 0.6mm PITCH 200POS			
0 PLC ±		PRODUCT SPEC	5.2H RVS TYPE			
1 PLC ±		APPLICATION SPEC	TO FIT AMC APPLICATIONS			
2 PLC ±		WEIGHT	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
3 PLC ±			A3		1981281	
4 PLC ±			CUSTOMER DRAWING		SCALE	SHEET
ANGLES ±					2:1	2 of 4
FINISH					REV	B

4




3

2





1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION MAR, 2007.  
 COPYRIGHT 2007 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
SEE SHEET 1					



- (APPLIED TO SHEET 3)
1. TOLERANCES ON ALL DIMENSIONS ±0.15 UNLESS OTHERWISE SPECIFIED.
  2. P.C. BOARD THICKNESS APPLIES ACROSS TABS AND INCLUDES PLATING AND/OR METALIZATION.
  3. FINISH OF PAD : GOLD PLATING 0.00076 MIN. OVER Ni PLATING 0.002MIN.
- ▲ NO BURR  
 ▲ CHAMFER 0.25 MAX x 45° IF EXIST.






RECOMMENDED MATING P.C.B CONFIGURATION

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	31.75	1.8V	17.55	2.4	2.7
DIMENSIONS: MM		CHK	25.4	POWER SUPPLY			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	H	D5	D4	D3	
0 PLC	±	PRODUCT SPEC					
1 PLC	±	APPLICATION SPEC					
2 PLC	±	WEIGHT					
3 PLC	±						
4 PLC	±						
4 P.C. ANGLES	±						
MATERIAL	FINISH						
		NAME	Tyco Electronics Corporation Kawasaki, Japan				
		SIZE	A3				
		CAGE CODE	C-1981281				
		DRAWING NO	1981281				
		RESTRICTED TO					
		CUSTOMER DRAWING	SCALE	1:1		SHEET	3 OF 4
						REV	B

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION MAR. 2007.  
 © COPYRIGHT 2007 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			



- (APPLIED TO SHEET 4)
1. THE DIRECTION OF EACH CONNECTOR ON A TRAY IS REFERRED TO THIS DRAWING.
  2. GENERAL TOLERANCE:  $\pm 0.5$

20EA/TRAY	1981281-4
QTY	P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	
DIMENSIONS:		CHK	
MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD	
	0. PLC $\pm 0.5$	PRODUCT SPEC	
	1. PLC $\pm 0.5$	APPLICATION SPEC	
	2. PLC $\pm 0.5$	WEIGHT	
	3. PLC $\pm 0.5$		
	4. PLC $\pm 0.5$		
	ANGLES $\pm 0.5$		
MATERIAL	FINISH		

Tyco Electronics Corporation Kawasaki, Japan	
NAME	
DDR SODIMM SOCKET 0.6mm PITCH 200POS 5.2H RVS TYPE TO FIT AMC APPLICATIONS	
SIZE	DRAWING NO
A.3	1981281
CAGE CODE	RESTRICTED TO
CUSTOMER DRAWING	SCALE 1:2 SHEET 4 OF 4 REV B