





LOC		DIST		REVISIONS			
P	LY	DESCRIPTION	DATE	BY	CHK	APPR	
B5		REVISED PER ECO-11-004820	11MAR2011	AK	HMR		



- PARTS PURCHASED FROM SAURO.
 - MATERIAL AND FINISH
HOUSING: HIGH TEMPERATURE POLYAMIDE, UL 94V-0 RATED, COLOR: BLACK
CLAMP: BRASS, NICKEL PLATED.
TERMINAL: BRASS, TIN PLATED.
CLAMPING SCREW: M3, BRASS, NICKEL PLATED.
 - SUITABLE FOR 1.6-2.4mm PC BOARD THICKNESS
 - END-TO-END STACKABLE WITHOUT LOSS OF CENTERLINE SPACING.
 - WIRE SIZE RANGE: 16-30 AWG.
 - RECOGNIZED UNDER THE COMPONENT PROGRAM OF UNDERWRITERS LABORATORIES IN.. FILE NO. E60677.
 - IMQ CERTIFICATE WITH SURVEILLANCE IN CONFORMITY WITH IEC 998-1/998-2-1.
- ⚠ PERMANENT INK MARKING, WHITE.



⚠ 15.24 ⁺⁰ _{-0.22}	3	2-1776119-1
⚠ 15.24 ⁺⁰ _{-0.22}	3	2-1776119-0
30.48 ⁺⁰ _{-0.45}	6	1776119-6
25.40 ⁺⁰ _{-0.38}	5	1776119-5
20.32 ⁺⁰ _{-0.30}	4	1776119-4
15.24 ⁺⁰ _{-0.22}	3	1776119-3
10.16 ⁺⁰ _{-0.16}	2	1776119-2
A	NO OF POSN	PART NUMBER



THIS DRAWING IS A CONTROLLED DOCUMENT.		DATE: 19NOV2008	TE Connectivity	
DRAWN BY: S. WELDON		DATE: 19NOV2008		
CHECKED BY: C. RICHARD		DATE: 19NOV2008		
APPROVED BY: C. RICHARD		DATE: 19NOV2008	NAME: TERMINAL BLOCK ASSEMBLY, PCB MOUNT, STACKING, SIDE WIRE ENTRY, 5.08mm PITCH	
DIMENSIONS: mm		PRODUCT SPEC: -	SITE: A200779	
0 PLC ±.2 1 PLC ±.2 2 PLC ±.15 3 PLC ±0.000 4 PLC ±0.000 ANGLES ±0.000		APPLICATION SPEC: -	DRAWING NO: 1776119	
MATERIAL: -		WEIGHT: -	RESTRICTED TO: -	
FINISH: -		CUSTOMER DRAWING: -	SCALE: 4:1 SHEET 1 OF 1 REV: B5	