

4


3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
	T3	REVISED PER ECO-10-008433	20MAY10	HMR	KW



- △1 SILVER PLATE PER QQ-S-365  
5.08  $\mu\text{m}$  [.000200] MINIMUM THICK.
- △2 TIN-LEAD PLATE PER ASTM-B-545  
2.54  $\mu\text{m}$  [.000100] MINIMUM THICK,  
WITH SUPPLEMENTAL ANTI FRETTING LUBRICANT.
- △3 GOLD PLATE PER MIL-G-45204  
0.76  $\mu\text{m}$  [.000030] MINIMUM THICK.
- △4 MATTE TIN PLATE PER ASTM-B-545  
2.54  $\mu\text{m}$  [.000100] MINIMUM THICK,  
WITH SUPPLEMENTAL ANTI FRETTING LUBRICANT.
- △5 BRIGHT TIN PLATE PER ASTM-B-545  
2.54  $\mu\text{m}$  [.000100] MINIMUM THICK,  
WITH SUPPLEMENTAL ANTI FRETTING LUBRICANT.

3.05 [.120]	4.55 [.179]	△5	9-328666-4
3.05 [.120]	3.86 [.152]	△1	9-328666-3
3.73 [.147]	4.55 [.179]	△4	9-328666-2
3.05 [.120]	3.86 [.152]	△4	9-328666-1
3.05 [.120]	4.55 [.179]	△4	9-328666-0
3.40 [.134]	4.55 [.179]	△4	3-328666-9
5.03 [.198]	5.51 [.217]	△4	3-328666-6
3.73 [.147]	4.55 [.179]	△4	3-328666-3
3.05 [.120]	3.86 [.152]	△4	2-328666-7
3.05 [.120]	4.55 [.179]	△3	2-328666-6
3.05 [.120]	4.55 [.179]	△4	2-328666-5
3.05 [.120]	4.55 [.179]	△1	2-328666-3
3.05 [.120]	3.86 [.152]	△1	328666
B	A	FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. LIPPERT 28MAR01	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		CHK R. E. RUTH 7/27/90	NAME M. SNEED 7/27/90	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		
0 PLC ± -		APPLICATION SPEC		
1 PLC ± -		WEIGHT		
2 PLC ± -		SIZE CAGE CODE DRAWING NO		
3 PLC ± -		A3 00779 C-328666		
4 PLC ± -		RESTRICTED TO		
ANGLES ± -		CUSTOMER DRAWING		
MATERIAL COPPER ALLOY	FINISH SEE TABLE	SCALE 1:1		SHEET 1 OF 1
		REV T3		

AMP 1470-19 REV 31MAR2000