



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	-	-	-	-



- NOTES:
- WIRE RANGE
 CONDUCTOR: 0.3mm² - 0.7mm²
 INSULATION DIA: 1.5mm - 2.4mm
 - FOR CRIMPING DETAILS REFER TO UTILUX CRIMP CHART NO. H1129
 - RECEPTACLE TO BE USED WITH 0.8mm THICK TAB



THIS DRAWING IS A CONTROLLED DOCUMENT.	
ALL DIMENSIONS IN mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	DIMENSION (mm) TOLERANCE(+/-mm)
	LESS THAN 10 0.4
	OVER 10 TO 30 0.5
	OVER 30 TO 80 0.7
	OVER 80 TO 250 1.0
	ANGLES 42°
MATERIAL	FINISH
-	-

BRASS ET	RECEPTACLE, H1129ET	1-1627009-1
BRASS	RECEPTACLE, H1129	1-1627009-0
MATERIAL	DESCRIPTION	PART No.
DWN: W,RIEDE 9.11.04	Tyco Electronics Corporation AUSTRALIA	
CHK: H,THAI 9.11.04	NAME: RECEPTACLE, MICRO QC 2.3mm	
APVD: W,RIEDE 9.11.04	SIZE: A3	DRAWING NO: 1627009
PRODUCT SPEC:	CAGE CODE	RESTRICTED TO
APPLICATION SPEC:		
WEIGHT:		
CUSTOMER DRAWING		
SCALE: 5:1	SHEET 1 OF 1	REV 0

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND IS NOT TO BE RELEASED TO ANY OTHER PARTY WITHOUT THE WRITTEN PERMISSION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA, USA.