





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
0		REDRAWN - WAS UTX DRG No. 01.02094.01		01 OCT 08	V.M.	W.R.	



A-A

SCALE 1:1

NOTES:
 1. TO SUIT QC 4.8 FLAG RECEPTACLE P/No1-1627016-0/-2/-3 (UTX P/No H1145).

NYLON 66 NATURAL	INSULATOR, -POST-FIT (H2094)	1-1627070-1
MATERIAL DESC.	DESCRIPTION (UTXP/N:)	PART No.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: V.MEDOVKOV 01 OCT 08	Kingsgrove AUSTRALIA	
ALL DIMENSIONS IN mm		CHK: W.RIEDE 01 OCT 08		
TOLERANCES UNLESS OTHERWISE SPECIFIED: DIMENSION (mm) TOLERANCE (mm) LESS THAN 10 0.4 OVER 10 TO 30 0.5 OVER 30 TO 80 0.7 OVER 80 TO 250 1.0 ANGLES 42°		APVD: W.RIEDE 01 OCT 08		
		PRODUCT SPEC:	NAME: INSULATOR, -POST-FIT	
MATERIAL: REF BLOCK		FINISH: REF BLOCK	APPLICATION SPEC:	RESTRICTED TO
		WEIGHT: -	SIZE: A3	CAGE CODE: -
			DRAWING NO: ©=1627070	
			CUSTOMER DRAWING	SCALE: 4:1 SHEET 1 OF 1 REV 0

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND IS NOT TO BE RELEASED OR DISCLOSED TO ANY OTHER PARTY WITHOUT THE WRITTEN PERMISSION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA, USA.