

4

3



2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION SEP. 2007.
 © COPYRIGHT 2007 By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN	APVD	
-	-	SEE SHEET 1	-	-	-	

AVAILABLE	ENBOSS (SEE SHEET 6)	WITHBOSS	BLACK	NOTE 2-3	1.5V	204	2-2013310-3
AVAILABLE	ENBOSS (SEE SHEET 6)	WITHBOSS	BLACK	NOTE 2-2	1.5V	204	2-2013310-2
AVAILABLE	ENBOSS (SEE SHEET 6)	WITHBOSS	BLACK	NOTE 2-1	1.5V	204	2-2013310-1
AVAILABLE	SEMI-HARD TRAY (SEE SHEET 5)	WITH BOSS	BLACK	NOTE 2-3	1.5V	204	2013310-3
AVAILABLE	SEMI-HARD TRAY (SEE SHEET 5)	WITH BOSS	BLACK	NOTE 2-2	1.5V	204	2013310-2
AVAILABLE	SEMI-HARD TRAY (SEE SHEET 5)	WITH BOSS	BLACK	NOTE 2-1	1.5V	204	2013310-1
TOOLING STATUS	PACKAGING TYPE	REMARK	HOUSING COLOR	FINISH	POWER SUPPLY	POS	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	 TE Connectivity	
DIMENSIONS: MM		CHK		
		APVD	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		PRODUCT SPEC	DDR3 SODIMM SOCKET 0.6mm PITCH 204POS 9.2mm HEIGHT STANDARD TYPE	
MATERIAL	FINISH	APPLICATION SPEC	SIZE	RESTRICTED TO
		WEIGHT	A3	
		CAGE CODE	00779	
		DRAWING NO	C-2013310	
		CUSTOMER DRAWING	SCALE	2:1
		SHEET	2	OF 6
		REV	C3	

4

3


2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION SEP. 2007.
 © COPYRIGHT 2007 By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
-	-	SEE SHEET 1	-	-	-		

REFERENCE P.C.BOARD PATTERN LAYOUT
 (CONNECTOR MOUNTING SIDE)



STD TYPE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	TE Connectivity	
DIMENSIONS: MM		CHK		
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		APVD	NAME	
MATERIAL		PRODUCT SPEC	DDR3 SODIMM SOCKET	
FINISH		APPLICATION SPEC	0.6mm PITCH 204POS	
		WEIGHT	9.2mm HEIGHT STANDARD TYPE	
		CUSTOMER DRAWING	SIZE A3	RESTRICTED TO
			CAGE CODE 00779	DRAWING NO C-2013310
			SCALE 2:1	SHEET 3 of 6
				REV C3

4



3

2


1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION SEP. 2007. ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



(APPLIED TO SHEET 5)
 1. THE DIRECTION OF EACH CONNECTOR ON A TRAY IS REFERRED TO THIS DRAWING.
 2. GENERAL TOLERANCE: ± 0.5 , $\pm 3^\circ$



B-B
SCALE 1:1



A-A
SCALE 1:1
(180DEG. ROTATE)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	
DIMENSIONS:		CHK	
MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD	
	0 PLC ± 0.5	PRODUCT SPEC	
	1 PLC ± 0.5	APPLICATION SPEC	
	2 PLC ± 0.5	WEIGHT	
	3 PLC ± 0.5		
	4 PLC ± 0.5		
	ANGLES $\pm 3^\circ$		
MATERIAL	FINISH		

200EA QTY/BOX	20EA QTY/TRAY	*-2013310-*	PART NO.
		TE Connectivity	
		NAME DDR3 SODIMM SOCKET 0.6mm PITCH 204POS 9.2mm HEIGHT STANDARD TYPE	
SIZE A3	CAGE CODE 00779	DRAWING NO C-2013310	RESTRICTED TO
CUSTOMER DRAWING		SCALE 1:2	SHEET 5 of 6 REV C3

4



3

2



1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION SEP. 2007. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1 (400mm MIN.)	-	-	-



- (APPLIED TO SHEET 6)
1. THE DIRECTION OF EACH CONNECTOR ON A EMBOSS IS REFERRED TO THIS DRAWING.
 2. GENERAL TOLERANCE: $\pm 0.5, \pm 3'$



150EA	*-2013310-*
QTY/REEL	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	TE Connectivity	
DIMENSIONS: MM		CHK	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	DDR3 SODIMM SOCKET	
0 PLC ± 0.5		PRODUCT SPEC	0.6mm PITCH 204POS	
1 PLC ± 0.5		APPLICATION SPEC	9.2mm HEIGHT STANDARD TYPE	
2 PLC ± 0.5		WEIGHT	SIZE	RESTRICTED TO
3 PLC ± 0.5			A3	
4 PLC ± 0.5			CAGE CODE	DRAWING NO
ANGLES $\pm 3'$			00779	C-2013310
MATERIAL	FINISH	CUSTOMER DRAWING		SCALE 1:2 SHEET 6 OF 6 REV C3