

4

3




2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION.
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	REVISIONS		
F	LNK	DESCRIPTION	DATE	BY
C		REVISED PER ECR-10-007124	18MAY10	HMR GJ

- 1 SPECIFICATIONS: MAGNET WIRE #18 - #34 AWG, 1.02mm(.040")-0.16mm(.006") DIA COPPER. LEAD WIRE #20 AWG, (0.5mm²) STRANDED, BONDED OR SOLID. INSULATED LEAD WIRE. MAX INSULATION O.D. 2.9mm(.115") NO STRIPPING REQUIRED.
- 2 POCKET RECOMMENDATION: #1601421
- 3 TERMINALS APPLICATION TO COMPLY WITH TYCO ELECTRONICS SPECIFICATION 114-13166 FIGURE 3.
- 4 SPECIAL PACKAGING. SPLICE FREE.
- 5 PRELIMINARY - NOT FOR PRODUCTION.
- 6 TWO (2) TERMINALS SHOWN FOR ILLUSTRATION PURPOSES ONLY



UNPLATED	031-119-000	4-1601056-1
UNPLATED	-	3-1601056-1
UNPLATED	131-120-000	2-1601056-1
UNPLATED	131-119-000	1601056-1
FINISH	REFERENCE PART NUMBER	TE PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG: J. WELLS 11JAN2002 CHK: M. FEHER 11JAN2002 APD: K. RANDOLPH 11JAN2002 NAME: K. RANDOLPH PRODUCT SPEC: 108-2085 APPLICATION SPEC: 3	Tyco Electronics Corporation Harrisburg, PA 17105-3608
DIMENSIONS: mm [INCHES] TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLG ± .010 1 PLG ± .015 2 PLG ± .015 3 PLG ± .015 4 PLG ± .015 ANGLES ± .5°	STANDARD RANGE WIRE TO 20 AWG. SEMI-RIGID I.D.C. SIAMEZE TERMINAL. SIZE: A2 CASE CODE: 00779 DRAWING NO: C=1601056	RESTRICTED TO: - CUSTOMER DRAWING SCALE: 6:1 SHEET: 1 of 1 REV: C	

1471-9 (1/08)

1601056

A