



DRAWING MADE IN THIRD ANGLE PROJECTION

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT 19 BY AMP INCORPORATED. ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	P	F	ZONE	LTR	REVISIONS	DATE	APPD
AF	50				N	REVISED PER AF-7503	8/16/91	MSF/MN

- 1 CONTINUOUS STRIP ON REELS WITH TERMINALS LOCATED ON 5.08 [ .200 ] CENTERS.
- △ SLOT ACCEPTS A 0.36-0.45 mm DIA [#27-#25] AWG COPPER MAGNET WIRE ONLY (2 WIRES MAX).
- △ WIRE BARREL ACCEPTS 0.12-0.40 mm<sup>2</sup> [#26-#22] AWG LEAD WIRE.
- △ IDENTIFICATION NUMBER FOR MAGNET WIRE RANGE.



SECTION A-A  
 ROTATED 90° CW

3.56 [.140]	F	1.40 [.055]	0.97 [.038] 0.39# [22]
			0.89 [.035] 0.20# [24]
			0.86 [.032] 0.14# [26]
STRIP LENGTH ±.015	TYPE	WIDTH	±0.05 [E.00] HEIGHT WIRE
WIRE BARREL CRIMP			

PROPOSED DESIGN  
 NOT RELEASED FOR  
 PRODUCTION



OBSOLETE	BENCH INSERTION MACHINE		62609-3
	REVERSE REEL OF 62609-1	0.00381 [.000150] MIN THK PER MIL-T-10727	62609-2
	MINI-APPLICATOR		62609-1
	REELING	FINISH	PART NO
DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN mm (INCHES) TOLERANCES ON :		DR 8/3/89 DK SCHURM	AMP AMP INCORPORATED Harrisburg, Pa. 17105
2 PLC DEC ± -		CHK 8/16/89 MS FEHER	
3 PLC DEC ± 0.38 (.015)		APPD 8/16/89 NE NEFF	NAME TERMINAL, F CRIMP, MAG-MATE™
ANGLES ± -		APPD 8/17/89 TL SHUTTER	
MATERIAL #4 HARD BRASS		PRODUCT SPEC	
FINISH SEE TABLE		APPLICATION SPEC 114-2069	SIZE C
		WEIGHT	CAGE CODE 00779
			DRAWING NO 62609
			SCALE 8:1
			SHEET 1 OF 1

CUSTOMER DRAWING

62609