


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
G	00				
	J3	REVISED PER ECO-11-004917	11MAR11	RK	HMR



- 1 ASTERISK * FOR PHOS BRONZE PARTS ONLY
- 2 WIRE SIZE IS 22-16 AWG
- 3 WIRE INSULATION RANGE IS 2.7-3.6mm [.105-.140] DIA

PACKAGE TYPE	TERMINAL PLATING	TERMINAL MATERIAL	PART NO
TAPE MOUNTED	TIN	PHOS BRONZE	5-160483-5
	TIN	BRASS	5-160483-1
OBSOLETE	GOLD	PHOS BRONZE	9-160483-7
	SILVER	PHOS BRONZE	9-160483-6
	TIN	PHOS BRONZE	9-160483-5
	GOLD	BRASS	9-160483-4
	SILVER	BRASS	9-160483-3
	TIN	BRASS	9-160483-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN jr_ruth 07DEC07	TE Connectivity RECEPTACLE, PIDG, FASTON, 4.75 [.187] SERIES	
DIMENSIONS: MM(INCHES)		CHK T MICHIELUTTI 07DEC07		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD T MICHIELUTTI 07DEC07	PRODUCT SPEC	RESTRICTED TO
0 PLC	± .	APPLICATION SPEC	SIZE	
1 PLC	± .	WEIGHT	CAGE CODE	
2 PLC	± .		DRAWING NO	
3 PLC	± 0.20 [.008]		A3 00779 C=160483	
4 PLC	± .		CUSTOMER DRAWING	
ANGLES	± 5'		SCALE	4:1
MATERIAL	FINISH		SHEET	1 of 1
			REV	J3