CEILING FAN SINGLE & DUAL VERSIONS

CFC SERIES

The CFC series is a range of metallized polyester film capacitors designed expressly for ceiling fan use. They are a self–healing flat capacitor winding with polyester film dielectric. They are mounted in a flame retardent plastic case with an epoxy resin end–seal. The CFC series are also used in other electric fans and in fluorescent lamps.

The NTE CFC series is available in 2 wire (single) and 3 wire (dual) capacitor versions.

FEATURES:

- Small size/light weight
- · High Insulation resistance
- Small dissipation factor

RATINGS

Capacitance Range:

2 wire 125/250VAC - 1μfd to 6μfd


3 wire $125/250VAC - 2/4\mu fd$ to $6/14\mu fd$

PERFORMANCE SPECIFICATIONS

Operating Temperature Range: -25°C to +70°C

Insulation Resistance (at 20°C):

Between Terminals: $\geq 1000 M\Omega$ Between Terminals and Case: $\geq 2000 M\Omega$



2 WIRE SERIES

NTE	Сар	Case Dimensions – inch (mm)				
Type No.	μ f	W	Н	T		
CFC-1	1.0	1.260 (32)	.826 (21)	.413 (10.5)		
CFC-2	2.0	1.260 (32)	.826 (21)	.413 (10.5)		
CFC-3	3.0	1.260 (32)	.905 (23)	.512 (13)		
CFC-4	4.0	1.535 (39)	.905 (23)	.512 (13)		
CFC-5	5.0	1.535 (39)	.945 (24)	.590 (15)		
CFC-6	6.0	1.535 (39)	1.020 (26)	.669 (17)		

3 WIRE SERIES

NTE	Сар	Case Dimensions – inch (mm)			
Type No.	μ f	W	Н	T	
CFC-2/4	2.0/4.0	1.535 (39)	1.141 (29)	.748 (19)	
CFC-2/5.5	2.0/5.5	1.978 (50)	1.180 (30)	.787 (20)	
CFC-3/6.5	3.0/6.5	2.017 (51)	1.258 (32)	.866 (22)	
CFC-3.5/1.5	3.5/1.5	1.535 (39)	1.141 (29)	.748 (19)	
CFC-5/8.2	5.0/8.2	2.017 (51)	1.574 (40)	1.180 (30)	
CFC-6/14	6.0/14	2.017 (51)	1.574 (40)	1.180 (30)	

