

SAW Components


Data Sheet B3583





SAW Components	B3583
Low Loss Filter	345,00 MHz
Data Sheet	

Ceramic package QCC8B




- Package for Surface Mounted Technology (SMT)
- Hermetically sealed ceramic package
- No matching network required for operation at 50 Ω

Terminals

Features


■ Ni, gold plated



Dimensions in mm, approx. weight 0,07

Pin configuration

2	Input
1,3	Input Ground
6	Output
5,7	Output Ground
4,8	to be grounded



Туре	Ordering code	Marking and Package	Packing
		according to	according to
B3583	B39351-B3583-Z810	C61157-A7-A56	F61074-V8070-Z000

Electrostatic Sensitive Device (ESD)

Maximum ratings

Operable temperature range	TA	-20/+85	°C	
Storage temperature range	T _{stg}	-45/+90	°C	
DC voltage	$V_{\rm DC}$	0	V	
Source power	Ps	0	dBm	source impedance 50 Ω

2 May 09, 2001



SAW Components	B3583
Low Loss Filter	345,00 MHz
Data Sheet	

Characteristics

Reference temperature:	T_{A}	=	25 °C
Terminating source impedance:	Z_{S}	=	50 Ω
Terminating load impedance:	Z_{L}	=	50 Ω

		min.	typ.	max.	
Center frequency	f _c	_	345,00		MHz
Maximum insertion attenuation					
344,60 345,40 MHz	$lpha_{max}$	_	2,5	3,5	dB
Amplitude ripple (p-p)	Δα				
344,60 345,40 MHz		_	0,5	1,5	dB
Relative attenuation (relative to α_{max})	α_{rel}				
10,00 320,00 MHz		48	53	—	dB
320,00 325,00 MHz		41	47	—	dB
325,00 337,00 MHz		32	39	—	dB
337,00 339,00 MHz		26	31	—	dB
351,00 358,00 MHz		13	16	—	dB
358,00 370,00 MHz		35	39	_	dB
370,00 700,00 MHz		47	52	_	dB
700,001000,00 MHz		40	45		dB
Temperature coefficient of frequency	TC _f		-30		ppm/k


3 May 09, 2001

â
EPCOS


SAW Components	B3583
Low Loss Filter	345,00 MHz

Data Sheet

Transfer function



Transfer function (wideband)





SAW Components	B3583
Low Loss Filter	345,00 MHz

Data Sheet

Published by EPCOS AG Surface Acoustic Wave Components Division, SAW CE AE PD P.O. Box 80 17 09, D-81617 München

© EPCOS AG 2001. All Rights Reserved.

As far as patents or other rights of third parties are concerned, liability is only assumed for components per se, not for applications, processes and circuits implemented within components or assemblies.

The information describes the type of component and shall not be considered as assured characteristics.

Terms of delivery and rights to change design reserved.

For questions on technology, prices and delivery please contact the sales offices of EPCOS AG or the international representatives.

Due to technical requirements components may contain dangerous substances. For information on the type in question please also contact one of our sales offices.



May 09, 2001