


## 12 x 2 Character LCD



### FEATURES

- 5 x 8 dots with cursor
- Built - in controller (KS 0066 or Equivalent)
- + 5 V power supply
- 1/16 duty cycle
- B/L to be driven by pin 1, pin 2, or A.K (LED)
- RoHS compliant


**RoHS**  
COMPLIANT

MECHANICAL DATA		
ITEM	STANDARD VALUE	UNIT
Module Dimension	55.7 x 32.0	mm
Viewing Area	46.0 x 14.5	mm
Dot Size	0.45 x 0.60	mm
Character Size	2.65 x 5.50	mm
Mounting Hole	31.2 x 30.0	mm

ABSOLUTE MAXIMUM RATING					
ITEM	SYMBOL	STANDARD VALUE			UNIT
		MIN.	TYP.	MAX.	
Power Supply	VDD-VSS	- 0.3	-	7.0	V
Input Voltage	VI	- 0.3	-	VDD	V

**NOTE:** VSS = 0 V, VDD = 5.0 V

ELECTRICAL SPECIFICATIONS						
ITEM	SYMBOL	CONDITION	STANDARD VALUE			UNIT
			MIN.	TYP.	MAX.	
Input Voltage	VDD	VDD = + 5 V	4.7	5.0	5.3	V
Supply Current	IDD	VDD = + 5 V	-	1.5	3.0	mA
Recommended LC Driving Voltage for Normal Temp. Version Module	VDD - V0	- 20 °C	-	1.3	1.5	V
		0 °C	4.9	5.2	5.5	
		25 °C	4.1	4.4	4.7	
		50 °C	3.8	4.2	4.4	
		70 °C	-	-	-	
LED Forward Voltage	VF	25 °C	-	4.2	4.6	V
LED Forward Current	IF	25 °C	-	40	80	mA

DISPLAY CHARACTER ADDRESS CODE:								
Display Position								
	1	2	3	4	5	6	7	8
DD RAM Address	00	01						07
DD RAM Address	40	41						47





## Notice

Specifications of the products displayed herein are subject to change without notice. Vishay Intertechnology, Inc., or anyone on its behalf, assumes no responsibility or liability for any errors or inaccuracies.

Information contained herein is intended to provide a product description only. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document. Except as provided in Vishay's terms and conditions of sale for such products, Vishay assumes no liability whatsoever, and disclaims any express or implied warranty, relating to sale and/or use of Vishay products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright, or other intellectual property right.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications. Customers using or selling these products for use in such applications do so at their own risk and agree to fully indemnify Vishay for any damages resulting from such improper use or sale.