


Features

- Bi-color LED lamp
- White diffused lens
- Low current requirements
- Reliable and rugged
- IC Compatible



Series Line-Up

Part Number	Color	Material
MT2053-HRG	High Efficiency Red	GaAsP
	Yellow Green	GaP
MT2053-RG	Red	GaP
	Yellow Green	GaP
MT2053-YG	Pure Yellow	GaAsP
	Yellow Green	GaP

Maximum Ratings (Ta=25°C)

Part Number	Forward Current I _F	Reverse Voltage V _R	Power Dissipation P _D	Operating Temperature T _{opr}	Storage Temperature T _{stg}
MT2053-HRG	30	5	85.00	-25 ~ +85	-25 ~ +100
	30	5	85.00	-25 ~ +85	-25 ~ +100
MT2053-RG	30	5	85.00	-25 ~ +85	-25 ~ +100
	30	5	85.00	-25 ~ +85	-25 ~ +100
MT2053-YG	30	5	85.00	-25 ~ +85	-25 ~ +100
	30	5	85.00	-25 ~ +85	-25 ~ +100
Unit	mA	V	mW	°C	°C

Company Headquarters
 120 Broadway
 Menands, New York 12204
 Toll Free: 800.984.5337
 Fax: 518.432.7454

West Coast Sales Office
 100 Oceangate Blvd. #1200
 Long Beach, CA 90802
 Toll Free: 800.984.5337
 Fax: 562.628.5572

Electrical and Optical Characteristics (Ta=25°C)

Part Number	PWL nm λ_P	Material	View Angle $2\theta_{1/2}$	Luminous Intensity I_v				Forward Voltage V_F				Rev Current I_R	
				min.	typ.	max.	IF@	min.	typ.	max.	IF@	max.	VR@
MT2053-HRG	635	GaAsP	92°	-	5.20	-	20mA	-	2.10	3.00	20mA	100	5V
	567	GaP	92°	-	4.50	-	20mA	-	2.10	3.00	20mA	100	5V
MT2053-RG	700	GaP	92°	-	1.80	-	20mA	-	2.10	3.00	20mA	100	5V
	567	GaP	92°	-	4.50	-	20mA	-	2.10	3.00	20mA	100	5V
MT2053-YG	585	GaAsP	92°	-	3.60	-	20mA	-	2.10	3.00	20mA	100	5V
	567	GaP	92°	-	4.50	-	20mA	-	2.10	3.00	20mA	100	5V
-	nm	-	deg	mcd				-	V		-	mA	-

NOTES:

- All Dimensions are in millimeters.
- Tolerance is $\pm 0.25\text{mm}$ unless otherwise stated.
- An Epoxy Meniscus may extend about 1mm down the leads.
- Burr around bottom of epoxy may be around 0.5mm MAX.
- Specifications are subject to change without notice.

Company Headquarters
 120 Broadway
 Menands, New York 12204
 Toll Free: 800.984.5337
 Fax: 518.432.7454

West Coast Sales Office
 100 Oceangate Blvd. #1200
 Long Beach, CA 90802
 Toll Free: 800.984.5337
 Fax: 562.628.5572