


2 CHIP LED LAMP FOR AC DRIVING

FEATURES

- 2 chip antiparallel connection.
- All plastic mold type.
- Low drive current, high intensity.
- All plastic molded lens, provides an excellent on/off contrast ratio.
- Fast response time, capable of pulse operation.
- Wide radiation pattern — suitable for direct view.
- Direct driving with AC or DC input.



MAXIMUM RATINGS ($T_a = 25^\circ\text{C}$)

PART NO.	FORWARD CURRENT (I_F) RMS (mA)	FORWARD CURRENT (I_F) DC (mA)	OPERATING TEMPERATURE (T_{opr}) ($^\circ\text{C}$)	STORAGE TEMPERATURE (T_{stg}) ($^\circ\text{C}$)
MT1700-HR	50	25	-20 ~ 75	-30 ~ 100
MT1700-G	50	25	-20 ~ 75	-30 ~ 100
MT1700-Y	50	25	-20 ~ 75	-30 ~ 100
MT1700-O	50	25	-20 ~ 75	-30 ~ 100
MT1710-HR	50	25	-20 ~ 75	-30 ~ 100
MT1710-G	50	25	-20 ~ 75	-30 ~ 100
MT1710-Y	50	25	-20 ~ 75	-30 ~ 100
MT1710-O	50	25	-20 ~ 75	-30 ~ 100

OPTO-ELECTRICAL CHARACTERISTICS ($T_a = 25^\circ\text{C}$)


PART NO.	MATERIAL	LENS COLOR	VIEWING ANGLE	LUMINOUS INTENSITY (mcd)/chip			FORWARD VOLTAGE (v)			PEAK WAVELENGTH nm	SPEC. LINE HALF WIDTH nm	
			typ.	min.	typ.	max.	@mA	typ.	max.			@ mA
MT1700-HR	GaAsP/GaP	Red/Clear	90°	-	10	-	20	2.1	2.8	20	635	40
MT1700-G	GaP/GaP	Green/Clear	90°	-	20	-	20	2.1	2.8	20	565	25
MT1700-Y	GaAsP/GaP	Yellow/Clear	90°	-	10	-	20	2.1	2.8	20	585	32
MT1700-O	GaAsP/GaP	Orange/Clear	90°	-	10	-	20	2.1	2.8	20	610	35
MT1710-HR	GaAsP/GaP	Red/Diff	90°	-	6	-	20	2.1	2.8	20	635	40
MT1710-G	GaP/GaP	Green/Diff	90°	-	12	-	20	2.1	2.8	20	565	25
MT1710-Y	GaAsP/GaP	Yellow/Diff	90°	-	6	-	20	2.1	2.8	20	585	32
MT1710-O	GaAsP/GaP	Orange/Diff	90°	-	6	-	20	2.1	2.8	20	610	35

www.DataSheet4U.com

APPLICATION NOTES

[4] Packaging Reel Packaging

a) Reel type




Content

LED Type	Quantity/Reel
$\phi 3$ Series	2000 pcs
$\phi 5$ Series	1000 pcs

T-1 and T- 1 3/4 packages

*Lamps with external shapes other than those above are also available. Please consult Marktech.

b) Zigzag wound tape



At tape beginning and end, there is additional space for 4 pcs or more

Content

LED Type	Quantity/Box
$\phi 3$ Series	2000 or 5000 pcs
$\phi 5$ Series	1000 or 2000 pcs