

- Intelligent RF Modem Module
- RF Data Rates to 115kbps
- Up to 300 metres Range
- Programmable to 433, 868, or 915MHz
- Selectable 'Narrowband' RF Channels
- Crystal Controlled RF Design
- Supply Voltage 3.3V
- Serial Data Interface with Handshake
- Host Data Rates up to 38,400 Baud
- Very Stable Operating Frequency
- Low Profile Ceramic DIL Package
- Operates from –20 to +70 °C
- Evaluation Board for Rapid Development
- Software Configurable



#### **Operating Modes**

- Point to Point
- Broadcast
- One to Many Network
- Many to One Network

#### **Applications**

- Wireless Security Systems
- EPOS Terminals
- Sensor Data logging
- Remote Telemetry & Telecommand
- Remote Meter Reading

#### **Description**

The SMARTALPHA Radio Modem module provides a simple interface wireless communications module for the transfer of data at of up to 115kbps. Its unique features of narrow band operation and user channel selection combined with excellent interference rejection make them an ideal choice for next generation applications.

The transceivers have the functions of a complete radio modem and simply require CMOS/TTL data at the transmit input and the corresponding transceiver(s) output the same data. Preamble and CRC are automatically generated and added to the RF signa

Possible applications include one-to-one and multi-node wireless links in applications including car and building security, EPOS, inventory tracking, remote industrial process monitoring and computer networking. Because of their small size and low power requirements, both modules are ideal for use in portable, battery-powered applications such as hand-held terminals.

#### **Part Numbering**

Part Number	Description
SMARTALPHA -433	Smart Radio Transceiver Module, 433MHz
SMARTALPHA -868	Smart Radio Transceiver Module, 868MHz
RF650-EVAL	Evaluation Host PCB for SMARTALPHA Module (Requires Module)






#### **Table of Contents**

1.	. Module Connections	3
2.	. Operation	4
(	Operation ModesSerial Data Format	2
	CTS Timing	
	. Configuration	
4.	. Application Information	6
I	Antenna Design	-
	. Technical Specifications	
	DC Levels	
	RF	
	Dynamic Timing	
6.	. Evaluation Board SMARTALPHA-EVAL	<u>g</u>
	Description	(
	USB Connector	10
	RS232 Connector	
	Power supply	
	Serial DataStatus LED's	
7.	. Application Schematic Error! Bookmark no	





## 1. Module Connections



### **Pin Descriptions**

Pin Number	Name	Туре	Description	
1	Vcc	Power	Positive supply voltage connection. Decouple with 100n ceramic capacitor to ground.	
2	RSSI	Out	Pin is high when RSS is higher than the programmed threshold	
3	RFU	-	Reserved for future use	
4, 6	GND	Power	Connect to 0 volts.	
5	Antenna	In / Out	Nominal 50 ohm input/output impedance capacitively isolated from the internal circuit.	
7, 8, 14	reserved	-	Don't connect	
9	PD	In	Power Down pin. Take low for low power standby mode.	
10	Тх	In	Transmit data input from host controller.  Data input to the transmitter can be directly interfaced to CMOS logic drive operating on the same supply voltage as the transceiver.	
11	Rx	Out	Received data output to host controller (CMOS logic out) representing true data as supplied to the transmitter.	
12, 13	Data Rate	In	Host Data Rate selection.	
15	RTS	ln	Logic '0' is Request To Send.  Take low when the host is ready to send data to the module or is ready to receive data from the module.	
16	CTS	Out	Logic '0' is Clear To Send. Taken high when the module is busy.	

#### **Host Data Rate Selection**

<b>DR2</b> (pin 13)	<b>DR1</b> (pin12)	Baud Rate
0	0	4,800
0	1	9,600
1	0	19,200
1	1	38,400





## 2. Operation

The Host Data Rate pins are read when the PD pin goes high. The SmartALPHA must be put into standby mode by taking the PD pin low in order to change the selection.

The size of RF data packets are set during configuration. If fewer bytes are received by the SmartALPHA than the preset size, then after 10ms from the last byte received from the host, the RF packet will be processed (expanded to meet the preset packet size) and transmitted. The RF data packet size must be set the same for transmitter and receiver, otherwise the received packets will be discarded.

In order to optimise data rate, in a point-to-point configuration where data is mostly being sent in one direction, the packet size for one data direction can be set to the maximum size, however the reverse direction may be set to a smaller packet size, to implement an acknowledge reply for example.

The RTS pin overrides the timeout value. If a short data packet is sent, RF transmission will start as soon as the RTS pin is taken 'high' after the last byte is sent to the module.

The SmartALPHA contains an on-board data buffer equal to two data packets. Therefore if RTS is asserted (then the host is unable to receive data) the SmartALPHA will store a max of two data packets, all further data packets received will be discarded.

No RF packets will be received by the module when it is in power down standby mode.

Each SmartALPHA has its own preset address. This is set during configuration. Any data received is examined and the address header embedded within the data packet is compared with the RF60 address. Only data received with matching address will be processed and output to the host, all other data will be discarded. All SmartALPHA modules are shipped with a default address of 7E7E7E7E.

#### **Operation Modes**

The addressing protocol employed enables many different configurations such including:

**one-to-one operation**; for point to point data communication

**broadcast operation**; where a single master address many SmartALPHA modules concurrently. (using many SmartALPHA modules set to the same address),

one-to-many; A network consisting a master and many slaves (the receivers all have the same address)

many-to-one; where the transmitters all send to a single receiver address.

Because each SmartALPHA can contain a unique address, multiple SmartALPHA networks can co-exist in the same area.

#### **Serial Data Format**

The SmartALPHA serial format settings are: Baud Rate: Defined by DR1 and DR2 Pins

Data Bits: 8
Parity:None
Stop Bits: 1

Flow Control: Hardware

#### **CTS Timing**

With a standard buffer size of 30 bytes, CTS is asserted 41uS after the buffer is full. In cases where less than 20 bytes are sent CTS is asserted after a timeout of 10mS.





## 3. Configuration

The configuration of the SmartALPHA module may be changed by placing the SmartALPHA in Configuration mode, then sending a set of configuration data bytes to the module on the Tx pin.

To place the SmartALPHA in Configuration mode the user needs to send "+++" (three plus characters) within the 10mS timeout for each character. The SmartALPHA responds be returning the Configuration data bytes. The SmartALPHA is now on Configuration mode.

To exit Configuration mode the user needs to send "---" (three minus characters) within the 10mS timeout for each character. The SmartALPHA will not return a response. The SmartALPHA is now in data mode.

Byte	Name	Description	Default Supplied Value
0		MSB	7E hex
1	Name  Destination Address  SmartALPHA Address  RF Channel high byte  RF Channel low byte  Tx Power  Tx data packet size  Rx data packet size  RSSI threshold		7E hex
2	Destination Address		7E hex
3		LSB	7E hex
4		MSB	7E hex
5	SmartALPHA Address		7E hex
6			7E hex
7		LSB	7E hex
8	RF Channel high byte	TX / RX Frequency	06 hex (434.133Mhz)
9	RF Channel low byte	TX / RX Frequency	75 hex (434.133Mhz)
10	Tx Power	0 = 0 dBm 1 = -3 dBm 2 = -6 dBm 3 = -9 dBm 4 = -12 dBm 5 = -15 dBm 6 = -18 dBm 7 = -21 dBm	0 (0 dBm)
11	Tx data packet size	4 – 31 bytes	30 bytes
12	Rx data packet size	4 – 31 bytes	30 bytes
13	RSSI threshold	0 = -103dBm 1 = -97dBm 2 = -91 dBm 3 = -85 dBm 4 = -79 dBm 5 = -73 dBm	
14	RF transmission speed	A3 hex = 1200 bps 91 hex = 2400 bps 47 hex = 4800 bps 23 hex = 9600 bps 11 hex = 19200 bps	A3 hex

The RF Channel is calculated as:

433 MHz working frequency: Config value (decimal) = 4000\*((fo/10)-43)MHz 868 MHz working frequency: Config value (decimal) = 4000\*((fo/20)-43)MHz 915 MHz working frequency: Config value (decimal) = 4000\*((fo/30)-30)MHz

Please Note, the calculated value must be converted into binary. The high byte is placed in byte 8 and the low byte in byte 9. The Config value **MUST** be in the range 96 to 3903 (decimal). Both bytes must be present for the channel to be accepted.





While the SmartALPHA is in configuration mode, then the module will send the current configuration back to the host each time a data packet is received. To retrieve the current configuration without changing any options the host can send a single byte to the module and wait for the response.

It is not necessary to send all configuration bytes to the module, but all data sent must be valid. For example to change the destination address the host may just send four bytes. Configuration data excluded from the end of the data stream will be unchanged. The SmartALPHA module will accept a short configuration after a 10ms timeout after the last byte sent to the module, or when the RTS pin goes high. This allows for the host to easily change the destination address of the RF data packet, thus enabling one SmartALPHA to send individual data to several different recipient modules.

A destination address of 00000000 will reset the SmartALPHA to the default settings shown above. RF data packets received by the SmartALPHA with the embedded destination address which matches the SmartALPHA address will be accepted, processed and passed to the host, all of the RF data packets will be ignored.

When configuring the destination or SmartALPHA address an incorrect number of bytes for an address will leave the current address unchanged.

An invalid Transmitter Power or Packet Size setting will leave the current setting unchanged.

## 4. Application Information

Connection of the SmartALPHA to an RS232 host terminal device such as a PC serial port may easily be achieved using the Application Schematic at the back of this datasheet.

The 9 way 'D' socket (J1) provides the standard pinout required to connect directly to the serial port of any std PC using a 9 way male/female cable. The MAX3232 (a low voltage RS232 line driver) provides level conversion between the RS232 levels on the serial port and the logic levels pins of the SmartALPHA module.

If two such circuits are constructed then it will be possible to interconnect two PC's and test out the performance of the SMARTALPHA. When both circuits are powered up it will be necessary for them to have each others address in the "Destination Address" register.






#### **Antenna Design**

The design and positioning of the aerial is as crucial as the module performance itself in achieving a good wireless system range. The following will assist the designer in maximising system performance.

The RF ground pin should be connected to a ground plane which should shield the aerial connection and the PCB layout around the aerial track itself should be such as to give a 50 Ohm impedance. The aerial should be kept as far away from sources of electrical interference as physically possible. The specified power supply decoupling capacitors should be placed close to the module as possible and have direct connections to the relevant pins.

The antenna 'hot end' should be kept clear of any objects, especially any metal as this can severely restrict the efficiency of the antenna to receive power. Earth planes restricting the radiation path of the antenna will also have the same effect.

The best range will be achieved with either a straight piece of wire, rod or PCB track @ ¼ wavelength (17.3cm @ 433.92MHz). Increased range may be achieved if this ¼ wave antenna is placed perpendicular to and in the middle of a solid earth plane measuring at least 16cm radius. In this case, the antenna should be connected to the module using 50 Ohm coaxial cable and the PCB track layout tips given above should be observed.





# 5. Technical Specifications


#### **Electrical Characteristics**

	Min.	Тур.	Max.	Units	Notes
DC Levels					
Supply voltage	1.9	3.3	3.6	V	1
Supply current (Transmit mode)		24	26	mA	
Supply current (Receive mode)		13	15	mA	
Supply current (Standby mode)		300		uA	
Data input/output high	Vcc-0.3		Vcc+0.3V	V	
Data input/output low	0		0.3	V	
RF					
Working frequency: 433MHz Module	430.24		439.7	MHz	2
868MHz Module	860.48		879.5	MHz	2
915MHZ Module	900.72		929.27	MHz	2
Receiver sensitivity		-105	-100	dBm	
Transmitter RF power out		4		dBm	
Frequency deviation		+/- 15		kHz	
GFSK manchester encoded data rate		86.2		kbps	
Operating temperature	-20		+80	Deg C	
Storage temperature	-40		+100	Deg C	
Dynamic Timing					
Power up to stable receiver data out		30		mS	
Power up to full RF out		30		mS	
Standby to Receive mode		1		mS	
Standby to Transmit mode		1		mS	

#### **Notes**

- 1. Supply voltage should have <10mV ripple.
- 2. The application operating frequency must be chosen to comply with the Short Range device regulation in the area of operation.

#### **Mechanical Detail**







### 6. Evaluation Board SMARTALPHA-EVAL

#### ALSO SEE RF SOLUTIONS STORM RADIO MODEM

- Selectable Host Baud Rate 1200bps 38.4Kbps
- USB or RS232 Cable Replacement
- Range up to 150 Metres
- European Operation 433 or 868MHz
- Narrow Band RF
- RF Data Rates to 100 kbps
- One to Many, Many to One
- 12V or USB Power
- Conforms to ETSI 300-220
- Requires no radio licence to operate
- ABS enclosure



#### **Description**

The RF Solutions SMARTALPHA-EVAL radio Modem is a simple to use and very versatile device. It can operate as a one to one cable replacement link, in multiple master/slave arrangements or in broadcast modes. The Small modem come in an ABS enclosure with external antenna and easily achieves a range of 150m.

Multiple connection options allow it connect to a PC or act as an M2M link via USB or RS232 with power though the data cable or via an external 12V DC supply.






### **Connections and Set-up**


#### **USB Connector**

The SMARTALPHA-EVAL interfaces to the host computer via a USB Type A connector.

#### **RS232 Connector**

The RF SMARTALPHA-EVAL interfaces to the host computer via an RS232 connection using a standard DB9 connector with pin out as shown in the diagram below.





#### **Power supply**

For USB comms, power is automatically obtained from the USB connection. (No external power required)

For RS232 comms external power is required. Power is provided by either J6 (as shown above)

#### **Serial Data**

Data Bits: 8
Parity: None
Stop Bits: 1

Flow Control: None

OPT 1	OPT 2	OPT 1	Host Baud Rate
Open	Open	Do NOT Fit	4,800
Open	Fitted	Do NOT Fit	9,600
Fitted	Open	Do NOT Fit	19,200
Fitted	Fitted	Do NOT Fit	38,400

#### Status LED's

The SMARTALPHA-EVAL circuit board has three LED's, representing the following signals:


- PWR Power on
- Tx Transmitting data
- Rx Receiving data





#### **SmartALPHA Configuration Utility**


The SMARTALPHA-EVAL modem can be easily configured using the 666-EVAL Configuration Utility available from the RF Solutions Website.



Information contained in this document is believed to be accurate, however no representation or warranty is given and no liability is assumed by R.F. Solutions Ltd. with respect to the accuracy of such information. Use of products as critical components in life support systems is not authorised except with express written approval from R.F. Solutions Ltd.








DSSMARTALPHA-2e.doc

©2009 REG No 277 4001, ENGLAND.








DSSMARTALPHA-2e.doc ©2009 REG No 277 4001, ENGLAND.

Page 13







DSSMARTALPHA-2e.doc ©2009 REG No 277 4001, ENGLAND.

Page 14





R F Solutions Ltd., Unit 21, Cliffe Industrial Estate, Lewes, E. Sussex. BN8 6JL. England.

