


A. MAXIMUM RATING:

1. Input Power Level: 1.2W>50000 Hours, CW tone(Ta=50°C)
2. DC voltage: 0 V
3. Operating Temperature: -30°C to +85°C
4. Storage Temperature: -40°C to +85°C
5. Input Impedance: 50Ω
6. Output Impedance: 50Ω



B. ELECTRICAL CHARACTERISTICS:

Tx to Ant

Item			Unit	Min.	Type.	Max.
Insertion Loss	824~849MHz	IL	dB	-	2.0	2.5
Ripple	824~849MHz		dB	-	0.8	1.4
VSWR	824~849MHz		-	-	1.9	2.4
Absolute Attenuation:(Reference level from 0dB)						
	779~804	MHz	dB	10	13	-
	869~894	MHz	dB	40	45	-
	1648~1698	MHz	dB	10	16	-
	2472~2547	MHz	dB	2	5	-

Ant to Rx


Item			Unit	Min.	Type.	Max.
Insertion Loss	869~894MHz	IL	dB	-	2.6	3.5
Ripple	869~894MHz		dB	-	1.0	2.0
VSWR	869~894MHz		-	-	1.6	2.2
Absolute Attenuation:(Reference level from 0dB)						
	824~849	MHz	dB	52	57	-
	930~1200	MHz	dB	35	38	-
	1200~1500	MHz	dB	30	45	-
	2472~2547	MHz	dB	32	37	-

	SIPAT Co., Ltd. (CETC No. 26 Research Institute) Nanping Huayuan Road No. 14 Chongqing, China, 400060	Part Number	SPD014A	
		Rev. Date	2006-8-16	
		Rev.	1.0	Page


Tx to Rx

Item	Unit	Min.	Type.	Max.
Isolation 824~849MHz	dB	54	62	-
Isolation 869~894MHz	dB	43	52	-

C. EVALUATION CIRCUIT:



D.OUTLINE DRAWING:



	SIPAT Co., Ltd. (CETC No. 26 Research Institute) Nanping Huayuan Road No. 14 Chongqing, China, 400060	Part Number	SPD014A	
		Rev. Date	2006-8-16	
		Rev.	1.0	Page



□: Date code(Provided by planer each year)


△: Year code

	Odd Year	Even Year
Year Code	F	f



E. FREQUENCY CHARACTERISTICS:


Tx to Ant




	SIPAT Co., Ltd. (CETC No. 26 Research Institute) Nanping Huayuan Road No. 14 Chongqing, China, 400060	Part Number		SPD014A
		Rev. Date		2006-8-16
		Rev.	1.0	Page

Ant to Rx




	SIPAT Co., Ltd. (CETC No. 26 Research Institute) Nanping Huayuan Road No. 14 Chongqing, China, 400060	Part Number		SPD014A
		Rev. Date		2006-8-16
		Rev.	1.0	Page


Isolation




VSWR

Antenna Port





	SIPAT Co., Ltd. (CETC No. 26 Research Institute) Nanping Huayuan Road No. 14 Chongqing, China, 400060	Part Number	SPD014A	
		Rev. Date	2006-8-16	
		Rev.	1.0	Page

Tx Port




Rx Port




	SIPAT Co., Ltd. (CETC No. 26 Research Institute) Nanping Huayuan Road No. 14 Chongqing, China, 400060	Part Number	SPD014A	
		Rev. Date	2006-8-16	
		Rev.	1.0	Page


SMITH CHART

Antenna Port




Tx Port





	SIPAT Co., Ltd. (CETC No. 26 Research Institute) Nanping Huayuan Road No. 14 Chongqing, China, 400060	Part Number	SPD014A	
		Rev. Date	2006-8-16	
		Rev.	1.0	Page

Rx Port




F. PACKING:


1. REEL DIMENSION



	SIPAT Co., Ltd. (CETC No. 26 Research Institute) Nanping Huayuan Road No. 14 Chongqing, China, 400060	Part Number		SPD014A
		Rev. Date		2006-8-16
		Rev.	1.0	Page

2.TAPE DIMENSION



	SIPAT Co., Ltd. (CETC No. 26 Research Institute) Nanping Huayuan Road No. 14 Chongqing, China, 400060	Part Number	SPD014A	
		Rev. Date	2006-8-16	
		Rev.	1.0	Page