



Green-Lites™
Raising the Standard...
Again

The Green-Lite<sup>™</sup> series from O.C. White is the most energy efficient, highest output and longest lasting line of inspection lighting systems in the world. These exceptionally designed products offer important features and benefits available only from O.C. White.

### **Superior Technology**

Rather than clusters of old style 5mm LED "bottles" favored by low cost overseas manufacturers, Green-Lites™ employ next generation "surface mount" LEDs that produce more light with less glare, consume less power and last longer. The light output of our 8-watt LED microscope ring light is comparable to a 150 watt halogen.

With our new Green-Lite™ LED magnifiers, there is no comparison worldwide. We have easily achieved over 4x the brightness of a standard fluorescent magnifier. The blended white 6500° Kelvin light is easy on the eyes, provides excellent shadowless lighting, and the output level is adjustable – simply and precisely – for maximum operator comfort.

> Green-Lite<sup>™</sup> products are auto-switchable, so they can be used worldwide simply by changing the end power cord.

### **Faster Return on Investment**

Your investment in new Green-Lite™ LED technology quickly pays for itself through lower operating costs, longer lighting lifespan and improved productivity. A lower total cost of ownership provides the greenest solution of all!

### **Green Long Before it was Fashionable**

Since our inception, O.C. White has designed products that put light where it's needed, reducing the need to light large workspaces. We patented fluorescent dimming technology that reduces glare and consumption of electricity. Unlike our competitors, O.C. White products are built to last years and are easily repaired, if ever needed.

### **Green-Lite™ Advantages**

- Made in the USA
- Newest LED technology
- Unrivaled energy savings
- Maximum output control
- Superior arms and holding power
- Higher magnification with greater clarity
- ESD safe and RoHS Compliant
- Faster return on investment
- 5 year/ 50,000 hour pro-rated LED warranty
- Lower total cost of ownership
- 10 Year Mechanical Warranty...Best in the Business

### **Green-Lite**<sup>™</sup>



### **Lighting Features**

- 4x the lumen output of a standard magnifier
- Reduced glare, heat and energy consumption
- Multi-angle LEDs for shadowless lighting at a full range of focal lengths and heights
- User controlled LED groups shine desired level of light exactly where required
- Superb dimming software via convenient, reliable membrane switch
- Built in energy management system & lighting timer

### **Optical Features**

- Precision ground, crown white optical grade glass
- Largest lenses in the industry
- Standard 4 Diopter (2x) lens **O.C. White exclusive!**
- Optional 5 Diopter (2.25x) lens on some models
- Three lens sizes to choose from
  - 7" x 5.25" rectangle
  - 7.5" round
  - New 6" round with a 44% larger viewing area than competitors 5" round magnifiers

O.C. White exclusive at no extra charge!





### **Electrical Features**

- Low voltage (15v) power supplies are auto-switchable with worldwide approvals
- IEC plug design allows for simple plug-and-play cord change anywhere in the world
- Auto shut off at 4 hour, 5 minute intervals to prevent energy waste while users are away (user activated after delivery)
- All models shown are ESD safe

### **Mechanical Features**

- High quality die cast aluminum shades and all steel arm components for ESD safety
- Patented "Elite" arms are slim but have the greatest holding power of any arm of this type in the world
- Standard 43" arm reach

### Warranty

- 5 years/50,000 hours pro-rated LED warranty
- 10 year mechanical warranty...Best in the Business

## **Vision-Lite® Dimmable Fluorescent Magnifier**

The largest and clearest magnifier on the market features excellent image clarity, lighting control and energy efficiency. Made in the USA.

Our original Green-Lite<sup>TM</sup>! The Vision-Lite® is the world's first and only dimmable fluorescent illuminated magnifier. "Patented" state-of-the-art microchip controlled ballast technology allows the Vision-Lite® to be dimmable from 100% down to 25%, so that highly reflective surfaces can easily be seen by dimming the units exclusive high output three-sided bulb. Patent #5,757,142







the best attributes. You cannot find a stouter magnifier anywhere!

- · Made in the USA
- ESD safe and RoHS Compliant
- Patented dimming technology for precise output control from 100% to 25%
- Shadowless wrap-around T5 bulb for uniform lighting at any level
- Crown white optical grade glass for highest resolution images
- 3 Diopter (1.75x) standard, 4 Diopter (2x) optional
- Rugged all metal construction
- Table edge clamp standard with other mounting options available
- 10 Year Mechanical Warranty...Best in the Business
- Also available in 230v (50hz)

# **Big Eye**<sup>™</sup> **T-5 Fluorescent Magnifiers**

When it comes to magnifiers, Big Eye<sup> $^{\text{IM}}$ </sup> has been one of the most popular models since its inception. Industrial quality construction, superb optical characteristics, and now with our new electronic ballast, energy efficient slim bulb technology...

The Big Eye<sup> $^{\text{IM}}$ </sup> is head and shoulders above the rest. Made in the USA.



Our famous Big Eye<sup>TM</sup> is one of our largest Magnilites<sup>®</sup>! The crystal clear 7.5" diameter lens is made of optical quality glass. Configured standard with our new 4 Diopter (2x) lens, but also available with a 5 Diopter (2.25x) optical quality lens. The Big Eye<sup>TM</sup> has all metal construction, which affords ESD safety by design. The slim, spun aluminum shade provides low profile viewing, with superb weight savings.

The new slim T5 bulb allows the Big Eye™ to provide more light to the work surface, with less power consumed than ever before! Like all O.C. White models, the Big Eye™ is easily positioned on our specialized Ultraflex® armatures, for precision placement, and superb holding power over time. See why the Big Eye™ leads the world in quality and viewing area compared to other smaller round magnifiers.

- Made in the USA
- ESD safe and RoHS Compliant
- Crown white optical grade, 7.5" or 6" round lens for highest resolution images
- Shadowless 10" or 8", slim T5 bulb for uniform lighting at any level
- 4 Diopter (2x) standard, 5 Diopter (2.25x) optional
   O.C. White exclusive!
- · Rugged all metal construction
- Table edge clamp standard with other mounting options available
- 10 Year Mechanical Warranty...Best in the Business

# O.C. White Ergo-Zoom<sup>™</sup> Stereo-Zoom Microscopes

Our newest family of microscopes, the Ergo-Zoom™ series utilizes a common main objective optical design, and is paired exclusively with ergonomically adjustable eyepieces standard! No one else can bring you such value, performance, and versatility, all in one package... at an extremely competitive price!



The Ergo-Zoom™ series from O.C. White is setting the new standard for inspection performance. The Ergo-Zoom™ series comes in three magnification levels, and is completely modular, so accessories can be added as you see fit.

Our Ergo-Zoom™ series is based around a common main objective optical design, which offers a crisper, distortion free image, as well as a much flatter field of view, for the highest quality image you can achieve out of a microscope. Combine these excellent optical characteristics with the ergonomic adjustment, and large range of features, and you have a microscope series that is at home in any industry.

No longer is your microscope 'obsolete' when you decide you want to add video inspection, or higher strength magnification. With the Ergo-Zoom™ series, you simply add a Trinocular video coupler 'in line' of the microscope body and ergonomically adjustable head, to allow for real time true Trinocular inspection. A dual true trinocular attachment is also available for training purposes, an **O.C. White exclusive**.

Should you need a larger magnification range, you can simply change out the zoom body on the microscope to one of the other strength models, and a whole new realm of magnification is available for you... with a small investment, and even smaller installation time... under 2 minutes to change out!

Another O.C. White exclusive is ergonomically adjustable eyepieces standard. No one else in the world offers this, it is always an upgrade. The eyepieces are adjustable from 10 to 50° on the fly, and are useable anywhere in between. This adjustment allows for total microscope manipulation for specialized inspection tasks, to adjust for various operator heights, and working conditions.



- ESD Safe and RoHS Compliant
- Eyepieces adjust from 10 to 50° on the fly for total comfort
- Ideal for operators who use a microscope all day long
- Three standard magnification zoom levels:

EZ-850 8-50x Mag. (up to 200x with options)

EZ-864 8-64x Mag. (up to 256x with options)

EZ-880 8-80x Mag. (up to 320x with options)

- Large selection of eyepiece and objective options
- Stainless steel ball bearing glide arms provide smooth movement and precise placement
- Striking matte black ESD safe coating
- Can be configured as standard binocular, trinocular, or dual trinocular microscope due to modular CMO design

 Analog and digital imaging packages available

The standard magnification ranges on this series are 8-50x, 8-64x, and 8-80x. Optional eyepieces and objectives are available to increase this range to much higher levels, as needed.

### **Ergo-Zoom™ Microscope Configuration**



- · Unequalled quality at very reasonable cost
- 5 Year Mechanical Warranty



### **Industry's First and Only "Green"**

### **OC White Pro-Zoom™ Microscopes**

The Pro-Zoom<sup>™</sup> family of microscopes provides the largest standard working distance, largest magnification range, and largest eyepieces available on a stereo zoom microscope. The Pro-Zoom<sup>™</sup> microscopes outperform the competition, even those at double the cost! There truly is no equal to our Pro-Zoom<sup>™</sup>.

The Pro-Zoom™ series of Binocular and Trinocular microscopes are one of the highest performance stereo microscopes on the market. With a standard magnification range of 5-65x, and optional range up to 390x, there is no inspection task that this microscope cannot tackle. The optical design of this microscope affords the largest standard working distance from any manufacturer, which is great for todays modern manufacturing environment.

The ESD safe design of this microscope is by all metal construction. Many imported microscopes include plastic components, or topical ESD coatings that will degrade over time. The Pro-Zoom™ series is ESD safe by construction, and will stay ESD safe over the life of the product.

The Pro-Zoom™ series comes in two basic styles, binocular and true Trinocular. Unlike low end imported models, our Trinocular microscope body features true Trinocular viewing. What this means, is that you no longer have to sacrifice an eyepiece image, to redirect the image to the video port. You can use the Pro-Zoom™ series as a standard stereo zoom microscope, as well as be able to view video on an LCD screen, or on a PC, in real time.



Pro-Zoom™ 6.5 Digital Trinocular Package with LV2000 LED Ring Light

For the Trinocular model, we have both analog and digital imaging packages. For the analog configuration, we include a superb high sensitivity color analog camera, along with slim 19" LCD screen. This is the perfect configuration for day to day inspection purposes. We also offer a digital imaging package, that utilizes a 1.3MP digital camera, with robust software suite that features live image viewing, still image capture, video capture, measurement, and a whole host of other features. Whichever way you go, you are sure to get incredible performance, for an incredible price.



- ESD Safe and RoHS Compliant
- Standard magnification range 5-65x (up to 390x with options)
- Microscope and base assembly features all metal construction
- 190mm of working distance with .5x objective lens
- Super wide 28mm high eye point and wide field eyepiece
- Eye tube inclination of 45°, and main body can be rotated 360° in holder

on Ball Bearing Base with LV2000 LED Ring Light

- ±6 Diopter adjustments on eyepiece tubes
- Interpupillary distance adjustment range is 52mm~76mm
- Trinocular package includes .3x CCD adapter
- · Choice of analog or digital inspection packages
- Heavy duty ball bearing glide arm base assembly standard
- 5 Year Mechanical Warranty
- 1 Year Electrical Warranty



Pro-Zoom™ 6.5 Analog Trinocular Package with LV2000 LED Ring Light

**ESD Safe Microscope Systems** 

## ESD



#### Micro-Lite® LED Illumination

Perfection? We think so. Our LV2000-B satisfies three of the largest complaints about microscope illumination... long life span, low operating costs, high lumen output. Combined with the fact that it is ESD Safe, there is no reason to buy any other LED ring light! Made in the USA.

The Micro-Lite® LV2000-B (Black) is our newest ring illuminator. It features the newest surface mount LED technology that is paired with our exclusive design criteria, to make the highest performance, longest operating, lowest cost LED ring illuminator sold today! The days of having to buy replacement bulbs are a thing of the past!

Our ESD Safe LV2000 series features instant-on performance, with zero flicker. It is fully dimmable, from 100-5%, with an integrated dimming switch on the shade. Our exclusive design also allows for all circuitry to be hidden inside the shade. All other competitors rely on desktop controller boxes for their dimming units... another Micro-Lite® advantage!

Our exclusive heat management system ensures supreme light output, for many years to come. The special thermal transfer system quickly and efficiently cools the LED array, for the longest life span in the industry. We are the only manufacturer to invest such extensive time and money into the development of the world's best LED ring illuminator.





#### LV2000-B

- Made in the USA
- ESD Safe and RoHS Compliant
- Flicker free and dimmable from 100 0%
- 120-240v (50/60hz) auto switchable power supply with worldwide approvals (cord change required)
- 2.35" (60mm) mounting ring diameter 66mm mounting optional (LV2000-B-66)
- 9 LED surface mount array with exclusive thermal management system
- No bulky desktop controller box
- Black molded ESD certified safe shade (ESD safe white shade also available)
- Optional adapters available for most microscopes on the market today
- 5 Year/50,000 Hour Pro-Rated Warranty



### **Prolite® Stereo-Zoom Microscopes**

The Prolite® family of microscopes combine durability, performance, and low cost in a way that can only truly be appreciated when used... and used hard! This workhorse of a microscope has all of the magnification performance of much more expensive microscopes, with the rugged dependability that we have hung our hat on for over 127 years.

The Stereo-Zoom series from Prolite® has a standard magnification range of 7-45x, ESD safety, and robust build that rivals much more expensive microscopes. With incredible reliability, many optional lenses available, and numerous configurations, you are tough pressed to find a configuration that won't fit your needs.

- ESD Safe and RoHS Compliant
- All metal construction
- Standard magnification range 7x 45x
- With optional accessories, can achieve up to 270x
- Superb large 22mm 10x eyepieces
- ±5 Diopter adjustments on eyepiece tubes
- Heavy duty ball bearing glide arm base assembly standard
- Eye tube inclination of 45°, and main body can be rotated 360° in holder
- .5x Aux. lens included standard
- Excellent resolution
- 90-250mm working distance depending on objective used
- 5 Year Mechanical Warranty

### **Ultraflex® LED Machine Lighting**

Long Life, High Output, and Flexibility meet in these adjustable LED work lights. For precision illumination, you cannot go wrong with these Ultraflex® LED Arrays. Available in four styles, they are setting the new standard.

For any machine illumination application that demands the highest spot-light intensity as well as near limitless positioning possibilities, while operating in the most challenging work environments, our Ultraflex® LEDs are up to the task. Our Ultraflex® 6 spot LED features a 18W LED array, that has a total output of 975 lumens. These fixtures are rated IP65, and featured a sealed design for no impingement of water, synthetic, and petroleum based fluids.

Available in both articulating arm, and 'head only' configurations, you have options for installation. The electronic transformer is built into the base for protection, and is easily accessible through the underside of the lamp. The 100-277v versions are auto switchable, and are terminated at a 3 prong grounded plug. The 24v DC versions are shipped with wire leads for direct connection to your machine.

- 100-277v (50/60hz) or 24v DC
- 6 ft., 3 prong molded cord
- Two arm styles available
- 18w LED array
- CE certified
- Total light output:
- 975 total lumen (10600 and 11600 series)
- "No heat" spot lights
- Built in electronic transformer
- IP65 impingement rating
- Mounting holes included in base standard
- 1 Year Electrical Warranty



### OC White Fluorescent Longline™ Linear Machine Illumination

Now offering our fluorescent linear machine tool illumination products with high output, dual slim T5 bulbs for reduced energy costs, supreme light output, and long life spans.

The Fluorescent Longline<sup>TM</sup> series is our newest linear illumination offering. These fixtures can be used retrofitted into any existing light application. They are offered in three distinct lengths, as well as offered in two voltage styles. Compared to other models on the market, our Longline<sup>TM</sup> linears use less energy, and have much longer expected life spans.

These Longline™ linears come standard with a tempered borosilicate glass protective lens. These are perfect for use in and around harsh chemicals, as they will not blur and fade over long term exposure. The Longline™ linears are also IP67 rated. These linears come with three different bulb wattages, based on overall fixture length. The ballast is "hidden" behind the dual T5 fluorescent tubes, to allow for total light coverage from end to end. No longer do you have to sacrifice light on one end, to hide a ballast.

These fixtures are CE certified, and are available in your choice of 100-277v (50/60hz) or 24v DC. Each light includes end mounting feet standard. These allow for solid mounting on any flat surface. We also have (4) Four mounting bracket choices, for almost any mounting configuration you can think of.

- 100-277v (50/60hz) or 24v DC
- 6 ft., 3 prong molded US plug
- Three lengths available
- Equipped with new slim T5 HO bulbs
- CE certified
- Non-strobing electronic ballast
- Total light output:
   940 total lumen (FLL-082DB-G)
   2700 total lumen (FLL-142DB-G)
   4200 total lumen (FLL-212DB-G)
- Long service life up to 20,000 hours
- Borosilicate glass tube
- Mounting ends included standard
- 1 Year Electrical Warranty



**Distributed By:** 

www.green-lites.com 888-0CWHITE (888-629-4483)