

Micro Commercial Components Corp.

Complete Discrete Semiconductor Solutions

Part Number	BAT54C	
product family	SMALL SIGNAL SCHOTTKY DIODES	
package type	SOT-23	
/RM(PRV)	30V	
fsm	1.0mA	
F(AV)	200mA	
@Vf	400mV	
@lf	10mA	
Trr	5.0nS	
IR	2.0µA	
@VR	30V	
Package Qty	Tape : 3K/Reel, 120K/Ctn;	
	er the following categories where you may find similar products:	



Micro Commercial Components

Features

- Low Forward Voltage
- Surface Mount device
- Case Material: Molded Plastic. UL Flammability Classification Rating 94V-0 and MSL Rating 1

MCC Catalog	Device Marking		Туре	Pin
Number	1	2	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Configuration See page 3
BAT54	KL1	L4	Single	Figure 1
BAT54A	KL2	L42	Dual	Figure 2
BAT54C	KL3	L43	Dual	Figure 3
BAT54S	KL4	L44	Dual	Figure 4

Maximum Ratings

V _R	30V
lF	200mA
I _{FSM}	0.6A
PD	200mW
T _{stg}	-55°C to 150°C
Ti	-55°C to 125°C
Т	260°C
	IF I _{FSM} P _D


Electrical Characteristics @ 25 °C Unless Otherwise Specified

Characteristics	Symbol	Max.	Notes
Forward Voltage at I _F = 0.1mA		240mV	
$I_F = 1mA$	V _F	320mV	
I _F = 10mA I _F = 30mA		400mV 500mV	
$I_F = 30 \text{ mA}$ $I_F = 100 \text{ mA}$		1000mV	
Reverse Current	I _R	2.0 uA	V _R = 25V
Capacitance	C	10pF	Measured at 1.0MHz, V _R =1.0V
Reverse Recovery	trr	5nS	I _F =I _R =10mA;
Time			I _(REC) = 1mA
Thermal Resistance, Junction to Ambient	$R_{ ext{ heta}JA}$	500°C/W	

BAT54 THRU

BAT54S

200mWatt, 30Volt Schottky Barrier Diode



	DIMENSIONS				
	INCHES		CHES MM		
DIM	MIN	MAX	MIN	MAX	NOTE
Α	.110	.120	2.80	3.04	
В	.083	.098	2.10	2.64	
С	.047	.055	1.20	1.40	
D	.035	.041	.89	1.03	
ш	.070	.081	1.78	2.05	
F	.018	.024	.45	.60	
G	.0005	.0039	.013	.100	
Н	.035	.044	.89	1.12	
J	.003	.007	.085	.180	
K	.015	.020	.37	.51	

Suggested Solder Pad Layout



Ordering Information

Device	Packing
(Part Number)-TP	Tape&Reel3Kpcs/Reel

IMPORTANT NOTICE

Micro Commercial Components Corp . reserves the right to make changes without further notice to any product herein to make corrections, modifications , enhancements , improvements , or other changes .
Micro Commercial Components Corp . does not assume any liability arising out of the application or use of any product described herein; neither does it convey any license under its patent rights ,nor the rights of others . The user of products in such applications shall assume all risks of such use and will agree to hold Micro Commercial Components Corp . and all the companies whose products are represented on our website, harmless against all damages.

APPLICATIONS DISCLAIMER

Products offer by Micro Commercial Components Corp. are not intended for use in Medical,

Aerospace or Military Applications.